



PRODUCT SUMMARY CREATION: DEC 25, 2023, 07:20 AM EST 1/15



Ontario

re 🚯 Build & Price

**OPTIONAL PACKAGES** 

### **CAMRY SE**

#### SE UPGRADE

- Audio Plus with Remote includes Remote Connect (1 yr trial), Safety Connect (1 yr trial), Service Connect (up to 10 yr trial)
- Sun Visor with Mirror and Lamp
- Power Slide / Tilt Moonroof
- Garage Door Opener
- P235/45R18

### **CAMRY SE AWD**

#### SE UPGRADE

- Audio Plus with Remote includes Remote Connect (1 yr trial), Safety Connect (1 yr trial), Service Connect (up to 10 yr trial)
- Dual Zone Automatic Climate Control
- Blind Spot Monitor with RCTA
- 9" Touch Screen
- Smart Key System

• Qi-compatible wireless charging tray with light indicator

• Qi-compatible wireless charging tray with light

- Sun Visor with Mirror and Lamp
- Power Slide / Tilt Moonroof
- Garage Door Opener
- P235/45R18

indicator

• 18" Alloy Wheels

Push Button Start

• Front Headroom mm (in.): 953 (37.5)

• Dual Zone Automatic Climate Control

• Blind Spot Monitor with RCTA

• 9" Touch Screen

Smart Key System

- Auto-Dimming Rear View Mirror
- 18" Alloy Wheels
- Push Button Start

PRODUCT SUMMARY CREATION: DEC 25, 2023, 07:20 AM EST 2 / 15



Competitive Comparison

• Auto-Dimming Rear View Mirror

#### PRODUCT SUMMARY 2024 Camry Gas 🚯 Build & Price Competitive Comparison STANDARD SPECIFICATIONS SE SE AWD XSE V6/ TRD XSE AWD ● Standard - Not Available ↑ Available **SAFETY & CONVENIENCE** SAFETY Front Seat Side Airbags • • • Rear Seat Side Airbags • • • Backup Camera • • • Side Curtain Airbags • • • Child Protector Rear Door Locks . . Driver & Passenger Airbag Supplemental • • • Restraint System (SRS) Driver and Front Passenger Knee Airbags • • • Automatic Engine Shut Off . . $\uparrow$ $\uparrow$ Blind Spot Monitor with RCTA . **STAR SAFETY SYSTEM** Star Safety System: Electronic Brake Force • • • Distribution (EBD) Star Safety System: Brake Assist (BA) • • . Star Safety System: Vehicle Stability Control • • • (VSC) Star Safety System: Anti-lock Brake System (ABS) • • • Star Safety System: Traction Control (TRAC) • **TOYOTA SAFETY SENSE 2.5+** Lane Departure Alert with Steering Assist • • • Pre-Collision System with Pedestrian Detection • • • and Bicycle Detection Automatic High Beam • • • Dynamic Radar Cruise Control • • Full-Speed Range Dynamic Radar Cruise . Control Lane Tracing Assist \_ \_ • CONVENIENCE Sun Visor with Mirror • • • • • • 12Volt Accessory Power Outlet Front & Rear Cup Holders • • • Keyless Entry •

 $\uparrow$ 

 $\uparrow$ 

 $\uparrow$ 

 $\uparrow$ 

 $\uparrow$ 

 $\uparrow$ 

 $\uparrow$ 

 $\uparrow$ 

 $\uparrow$ 

 $\uparrow$ 

Garage Door Opener

indicator

Smart Key System

Push Button Start

Sun Visor with Mirror and Lamp

Qi-compatible wireless charging tray with light

•

•

•



•

•

•

•

.

•

•

۲

۲

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

•

# 2024 Camry Gas



Build & Price C

Competitive Comparison

STANDARD SPECIFICATIONS				
🔹 Standard — Not Available 个 Available	SE	SE AWD	XSE V6/ TRD	XSE AWD
Remove: Qi-compatible wireless charging tray with light indicator	-		•	-
SECURITY				
Anti-Theft Alarm System	•	٠	٠	٠
Engine Immobilizer	•	•	•	•
WARNING				
Tire Pressure Monitoring System with Auto Location	•	•	•	٠

### INFOTAINMENT

### AUDIO

Apple CarPlay compatibility	٠	•	٠	٠
Android Auto compatibility	٠	•	٠	٠
USB Audio Input	•	•	٠	•
6 Speakers	•	•	٠	•
+2 USB Charging Ports	•	•	٠	•
7" Touch Screen	-		٠	-
Audio Plus with Remote – includes Remote Connect (1 yr trial), Safety Connect (1 yr trial), Service Connect (up to 10 yr trial)	$\uparrow$	$\uparrow$	877	•
9" Touch Screen	$\uparrow$	$\uparrow$		•

### DIMENSIONS

### DIMENSIONS

Length mm (in.)	4895 (192.7)	4895 (192.7)	4944 (194.6)	4895 (192.7)
Width mm (in.)	1839 (72.4)	1839 (72.4)	1857 (73.1)	1839 (72.4)
Height mm (in.)	1445 (56.9)	1445 (56.9)	1430 (56.3)	1445 (56.9)
Wheelbase mm (in.)	2825 (111.2)	2825 (111.2)	2825 (111.2)	2825 (111.2)
Seating Capacity	5	5	5	5
Ground Clearance mm (in.)	145 (5.7)	145 (5.7)	130 (5.1)	145 (5.7)
Front Headroom mm (in.)	953 (37.5)	973 (38.3)	973 (38.3)	953 (37.5)
Rear Headroom mm (in.)	965 (38.0)	955 (37.6)	965 (38.0)	955 (37.6)
Front Legroom mm (in.)	1070 (42.1)	1070 (42.1)	1070 (42.1)	1070 (42.1)
Rear Legroom mm (in.)	965 (38.0)	965 (38.0)	965 (38.0)	965 (38.0)
Front Shoulder Room mm (in.)	1466 (57.7)	1466 (57.7)	1466 (57.7)	1466 (57.7)
Rear Shoulder Room mm (in.)	1415 (55.7)	1415 (55.7)	1415 (55.7)	1415 (55.7)
Gross Vehicle Weight kg (lbs.)	2029.01 (4473.2)	2100.00 (4629.7)	2097.01 (4623.1)	2100.00 (4629.7)
Payload(GVWR-curb weight) kg (lbs.)	514 (1133)	510 (1124)	477 (1052)	480 (1058)
Cargo Capacity L (cu. Ft.)	428 (15.1)	428 (15.1)	428 (15.1)	428 (15.1)
Base Curb Weight kg (lbs.)	1515.00 (3340.0)	1589.98 (3505.3)	1620.01 (3571.5)	1620.01 (3571.5)
Fuel Capacity litres (gal.)	61 (16)	57 (15)	61 (16)	57 (15)



ore 🕥 Build & Price

Competitive Comparison

STANDARD SPECIFICATIONS	65			
Standard — Not Available      Available	SE	SE AWD	XSE V6/ TRD	XSE AWD
Fuel Consumption - City/Highway/Combined L /100km	8.5/6.1/7.4	9.3/6.8/8.2	10.8/7.6/9.4	9.5/7.0/8.4
Fuel Consumption - City/Highway/Combined mpg	33/46/38	30/42/34	26/37/30	30/40/34
Horsepower (kW)	203	202	301	205

## **POWERTRAIN & MECHANICAL**

ENGINE	

Direct Injection D4-S	٠	•	٠	٠
Variable Valve Timing with Intelligence Electrically Driven on Intake Cam (VVT-iE)	•	•	_	•
2.5 Litre 4-cylinder DOHC 16-Valve	٠	٠	-	•
Variable Valve Timing with Intelligence on Exhaust Cam (VVT-i)	•	•	•	•
Single exhaust with dual chrome tips	٠	•	-	-
Dual exhaust with quad chrome tips	-	-	•	•
3.5L V6 DOHC 24-Valve	-	-	٠	-
Variable Valve Timing with Intelligence Wide on Intake Cam (VVT-iW)		-	•	-
STEERING MECHANICAL				
Electric Power Steering (EPS)	•	•	•	•
SUSPENSION				
Front and Rear Stabilizer Bar	•	•	•	•
Sport Tuned Suspension	-	٠	-	•
TRD Suspension	-	-	•	-
BRAKES				
Rear Disc Brakes	•	•	•	•
Front Disc Brakes	•	•		•
Electric Parking Brake (EPB)	-	•	•	•
TRANSMISSION				
Sequential Shift Mode	٠	•	•	•
Paddle Shifters	٠	•	•	•
Direct Shift 8-speed Automatic	•	•	•	•

### INTERIOR

### WINDOWS

Power Windows with Auto Up/Down for All Windows	•	•	•	•
Rear Window Defroster	•	•	•	•
SEATS				
Heated Front Seats	•	•	•	•



Explore 🕥 Build & Price	Competitive	e Comparison		
TANDARD SPECIFICATIONS				
🕽 Standard 🛛 🚽 Not Available 🕇 Available	SE	SE AWD	XSE V6/ TRD	XSE AWD
ear Foldable 60/40 Seats	•	•	_	•
3-way Power Adjustable Drivers Seat	•	٠	•	•
Rear Seat Reminder	•	•	•	•
Driver Lumbar Support	•	٠	•	•
port SofTex Seats	•	٠	-	-
-way Manual Passenger Seat	•	•	•	-
RD Embroided Seats with Red Stitching	-		•	-
-way Power Adjustable Passenger Seat	-	-	-	•
eather-trimmed seats			-	•
LIMATE CONTROL				
abin Air Filter	•	•	•	•
ual Zone Automatic Climate Control	$\uparrow$	$\uparrow$	•	•
NSTRUMENTATION				
.2-in. colour TFT Multi Information Display	•	-	•	-
-in. Colour TFT Multi Information Display	-	•	-	•
TORAGE				
Priver and Passenger Door Pockets	•	٠	•	•
NTERIOR MIRRORS				
Day and Night Mechanical Rear View Mirror	-	817	•	-
uto-Dimming Rear View Mirror	$\uparrow$	$\uparrow$	-	•
RIM				
RD Shift Knob	-	-	•	-
NTERIOR LIGHTING				
mbient Lighting			-	•
EXTERIOR				
IRES				

Temporary Spare Tire	•	•	•	٠
P235/45R18	$\uparrow$	$\uparrow$	-	-
P235/40R19	-	-	•	٠
WIPERS				
Variable Intermittent Wipers	•	•	•	•
EXTERIOR				
Rear Spoiler	٠	•	•	٠
Hood Silencer	٠	•	•	٠
Sport Grille	•	•	-	٠



(5) Build & Price

STANDARD SPECIFICATIONS  ● Standard — Not Available ↑ Available	SE	SE AWD	XSE V6/ TRD	XSE AWD	
Sport Front and Rear Fascia	•	•		•	
Rear Splash Guards	•	•		•	
Front Splash Guards	•	•		•	
Power Slide / Tilt Moonroof	$\uparrow$	$\uparrow$		-	
Fixed Roof	-		•	•	
Panoramic Moonroof		-		•	
EXTERIOR MIRRORS					
Heated Exterior Mirrors	•	•	•	•	
Integrated LED Signal Lamps	•	•	•	•	
EXTERIOR LIGHTING					
Daytime Running Lights	•	٠	•	•	
Clearance Lamps	•	٠	٠	•	
Bi-LED Combination headlights with black accents	•	•	-	-	
LED Combination taillights with black accents	•	٠		-	
LED Tailights with black accents	-		•	•	
LED Headlights with black accents			•	•	
WHEELS					
18" Alloy Wheels	$\uparrow$	$\uparrow$			
19" TRD Wheels		-	•		
19" Alloy Wheels		-		•	
MECHANICAL FEATURES					
Dynamic Torque Control AWD System		•	-	•	

Competitive Comparison



e 🧿 Build & Price

Competitive Comparison



#### IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

\* Payload Capacity is the calculation of GVWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's doorjamb.

\*\* Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

#### Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apply. Service may vary by vehicle and region. See usage precautions and service limitations in Owner's Manual.

#### Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and for vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle witched weight of any require disabling or removing the kick sensor, and the sensor operation setting in your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safely. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended.

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist head of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclist, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System offectiveness depends on the traffic conditions and intersection configuration. Intersection Support will NOT detect pedestrians crossing the road in the same directive. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manoeuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information.

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.


Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving.

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM.

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Dealer are vour bests tource for un-to-adte information. The Toyota ca is updated requipment and it or your Toyota Dealer are vour bests source for un-to-adte information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details.

# 2024 Camry Hybrid





æ



(5) Build & Price

Competitive Comparison

### STANDARD SPECIFICATIONS

<ul> <li>Standard — Not Available</li></ul>	LE	SE Upgrade	XSE	XLE

## **SAFETY & CONVENIENCE**

### SAFETY

Front Seat Side Airbags	٠	•	٠	٠
Rear Seat Side Airbags	٠	•	٠	٠
Side Curtain Airbags	٠	•	•	٠
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•
Driver and Front Passenger Knee Airbags	٠	٠	٠	٠
Automatic Engine Shut Off	٠	٠	٠	٠
Blind Spot Monitor with RCTA	-	٠	٠	٠
Bird's Eye View Camera	-	-	-	٠
Intelligent Clearance Sonar with Rear Cross Traffic Brake	-	-	-	•

#### **STAR SAFETY SYSTEM**

Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•
Star Safety System: Vehicle Stability Control (VSC)	•	•	•	•
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•

#### **TOYOTA SAFETY SENSE 2.5+**

Lane Departure Alert with Steering Assist	٠	•	•	•	
Pre-Collision System with Pedestrian Detection and Bicycle Detection	•	•	•	•	
Automatic High Beam	٠	•	•	•	
Full-Speed Range Dynamic Radar Cruise Control	•	•	•	•	
Lane Tracing Assist	•	•	•	•	

Lane Tracing Assist

CONVENIENCE				
Sun Visor with Mirror	•	-	-	-
12Volt Accessory Power Outlet	•	•	•	•
Front & Rear Cup Holders	•	•	•	•
Keyless Entry	•	•	•	•
Smart Key System	•	•	•	•
Push Button Start	•	•	•	•
Driver's Coin Case Compartment	•	•	•	•
Sun Visor with Mirror and Lamp		•	•	•
Qi-compatible wireless charging tray with light indicator	-	•	•	•
Garage Door Opener	-	-	٠	•

SECURITY

(5) Build & Price



STANDARD SPECIFICATIONS  Standard — Not Available  Available	LE	SE Upgrade	XSE	XLE
Anti-Theft Alarm System	•	•	•	•
Engine Immobilizer	•	•	•	•
WARNING				
Tire Pressure Monitoring System with Auto Location	-	•	•	•

Competitive Comparison

### INFOTAINMENT

### AUDIO

Apple CarPlay compatibility	٠	•	٠	٠
Android Auto compatibility	٠	٠	٠	٠
USB Audio Input	٠	٠	٠	٠
6 Speakers	٠	٠	٠	-
+2 USB Charging Ports	٠	٠	٠	٠
7" Touch Screen	٠		-	-
SiriusXM® with 3-month All-Access trial	-	٠	٠	٠
Audio Plus with Remote – includes Remote Connect (1 yr trial), Safety Connect (1 yr trial), Service Connect (up to 10 yr trial)	-	•	•	-
9" Touch Screen	-	•	٠	•
JBL Clari-Fi Audio System	-	-	-	•
9 Speakers	-	-	-	•
Prem. Audio w Remote – Embedded Navi., Destination Assist (1yr trial), Remote Connect (1yr trial), Safety Connect, Service Connect (up to 10 year trial)		-	-	•

### DIMENSIONS

#### DIMENSIONS

Width mm (in.)         1839 (72.4)					
Height mm (in.)         1445 (56.9)         1445 (56.9)         1445 (56.9)         1445 (56.9)         1445 (56.9)           Wheelbase mm (in.)         2825 (111.2)         1455 (5.7)         1455 (5.7)         1455 (5.7)         1455 (5.7)         1455 (5.7)         1455 (5.7)         1455 (5.7)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)	Length mm (in.)	4880 (192.1)	4895 (192.7)	4895 (192.7)	4880 (192.1)
Wheelbase mm (in.)         2825 (11.2)         2825 (11.2)         2825 (11.2)         2825 (11.2)           Seating Capacity         5         5         5         5         5         5         5         5         5         5         5         5         6         7         145 (5.7)         145 (5.7)         145 (5.7)         145 (5.7)         145 (5.7)         145 (5.7)         145 (5.7)         953 (37.5)         953 (37.5)         953 (37.5)         953 (37.5)         953 (37.5)         953 (37.6)         955 (37.6)	Width mm (in.)	1839 (72.4)	1839 (72.4)	1839 (72.4)	1839 (72.4)
Seating Capacity         5         5         5           Ground Clearance mm (in.)         145 (5.7)         145 (5.7)         145 (5.7)           Front Headroom mm (in.)         973 (38.3)         953 (37.5)         953 (37.5)         953 (37.5)           Rear Headroom mm (in.)         955 (37.6)         955 (37.6)         955 (37.6)         955 (37.6)           Front Legroom mm (in.)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)           Rear Legroom mm (in.)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)           Front Shoulder Room mm (in.)         1466 (57.7)         1466 (57.7)         1466 (57.7)         1466 (57.7)           Rear Shoulder Room mm (in.)         1415 (55.7)         1415 (55.7)         1415 (55.7)         1415 (55.7)           Gross Vehicle Weight kg (lbs.)         2097.01 (4623.1)         2097.01 (4623.1)         2097.01 (4623.1)         2097.01 (4623.1)           Payload(GVWR-curb weight) kg (lbs.)         52 (1151)         487 (1074)         482 (1063)         477 (1052)	Height mm (in.)	1445 (56.9)	1445 (56.9)	1445 (56.9)	1445 (56.9)
Ground Clearance mm (in.)         145 (5.7)         145 (5.7)         145 (5.7)           Front Headroom mm (in.)         973 (38.3)         953 (37.5)         953 (37.5)         953 (37.5)           Rear Headroom mm (in.)         955 (37.6)         955 (37.6)         955 (37.6)         955 (37.6)           Front Legroom mm (in.)         1070 (42.1)         1070 (42.1)         1070 (42.1)         1070 (42.1)           Rear Legroom mm (in.)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)           Front Shoulder Room mm (in.)         1466 (57.7)         1466 (57.7)         1466 (57.7)         1466 (57.7)           Rear Shoulder Room mm (in.)         1415 (55.7)         1415 (55.7)         1415 (55.7)         1415 (55.7)           Gross Vehicle Weight kg (lbs.)         2097.01 (4623.1)         2097.01 (4623.1)         2097.01 (4623.1)         2097.01 (4623.1)           Payload(GVWR-curb weight) kg (lbs.)         522 (1151)         487 (1074)         482 (1063)         477 (1052)	Wheelbase mm (in.)	2825 (111.2)	2825 (111.2)	2825 (111.2)	2825 (111.2)
Front Headroom mm (in.)       973 (38.3)       953 (37.5)       953 (37.5)       953 (37.5)         Rear Headroom mm (in.)       955 (37.6)       955 (37.6)       955 (37.6)       955 (37.6)         Front Legroom mm (in.)       1070 (42.1)       1070 (42.1)       1070 (42.1)       1070 (42.1)         Rear Legroom mm (in.)       965 (38.0)       965 (38.0)       965 (38.0)       965 (38.0)         Front Shoulder Room mm (in.)       1466 (57.7)       1466 (57.7)       1466 (57.7)       1466 (57.7)         Rear Shoulder Room mm (in.)       1415 (55.7)       1415 (55.7)       1415 (55.7)       1415 (55.7)         Rear Shoulder Room mm (in.)       1415 (55.7)       1415 (55.7)       1415 (55.7)       1415 (55.7)         Rear Shoulder Room mm (in.)       1415 (55.7)       1415 (55.7)       1415 (55.7)       1415 (55.7)         Rear Shoulder Room mm (in.)       1415 (55.7)       1415 (55.7)       1415 (55.7)       1415 (55.7)         Rear Shoulder Room mm (in.)       1415 (55.7)       1415 (55.7)       1415 (55.7)       1415 (55.7)         Rear Shoulder Room mm (in.)       1415 (55.7)       1415 (55.7)       1415 (55.7)       1415 (55.7)         Payload (GVWR-curb weight) kg (lbs.)       522 (1151)       487 (1074)       482 (1063)       477 (1052)	Seating Capacity	5	5	5	5
Rear Headroom mm (in.)         955 (37.6)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)         965 (38.0)	Ground Clearance mm (in.)	145 (5.7)	145 (5.7)	145 (5.7)	145 (5.7)
Front Legroom mm (in.)       1070 (42.1)       1070 (42.1)       1070 (42.1)       1070 (42.1)         Rear Legroom mm (in.)       965 (38.0)       965 (38.0)       965 (38.0)       965 (38.0)       965 (38.0)         Front Shoulder Room mm (in.)       1466 (57.7)       1466 (57.7)       1466 (57.7)       1466 (57.7)       1466 (57.7)         Rear Shoulder Room mm (in.)       1415 (55.7)       1415 (55.7)       1415 (55.7)       1415 (55.7)         Gross Vehicle Weight kg (lbs.)       2097.01 (4623.1)       2097.01 (4623.1)       2097.01 (4623.1)       2097.01 (4623.1)         Payload(GVWR-curb weight) kg (lbs.)       522 (1151)       487 (1074)       482 (1063)       477 (1052)	Front Headroom mm (in.)	973 (38.3)	953 (37.5)	953 (37.5)	953 (37.5)
Rear Legroom mm (in.)         965 (38.0)	Rear Headroom mm (in.)	955 (37.6)	955 (37.6)	955 (37.6)	955 (37.6)
Front Shoulder Room mm (in.)         1466 (57.7)         1466 (57.7)         1466 (57.7)         1466 (57.7)           Rear Shoulder Room mm (in.)         1415 (55.7)         1415 (55.7)         1415 (55.7)         1415 (55.7)           Gross Vehicle Weight kg (lbs.)         2097.01 (4623.1)         2097.01 (4623.1)         2097.01 (4623.1)           Payload(GVWR-curb weight) kg (lbs.)         522 (1151)         487 (1074)         482 (1063)         477 (1052)	Front Legroom mm (in.)	1070 (42.1)	1070 (42.1)	1070 (42.1)	1070 (42.1)
Rear Shoulder Room mm (in.)         1415 (55.7)         1415 (55.7)         1415 (55.7)           Gross Vehicle Weight kg (lbs.)         2097.01 (4623.1)         2097.01 (4623.1)         2097.01 (4623.1)           Payload(GVWR-curb weight) kg (lbs.)         522 (1151)         487 (1074)         482 (1063)         477 (1052)	Rear Legroom mm (in.)	965 (38.0)	965 (38.0)	965 (38.0)	965 (38.0)
Gross Vehicle Weight kg (lbs.)         2097.01 (4623.1)         2097.01 (4623.1)         2097.01 (4623.1)         2097.01 (4623.1)           Payload(GVWR-curb weight) kg (lbs.)         522 (1151)         487 (1074)         482 (1063)         477 (1052)	Front Shoulder Room mm (in.)	1466 (57.7)	1466 (57.7)	1466 (57.7)	1466 (57.7)
Payload(GVWR-curb weight) kg (lbs.)         522 (1151)         487 (1074)         482 (1063)         477 (1052)	Rear Shoulder Room mm (in.)	1415 (55.7)	1415 (55.7)	1415 (55.7)	1415 (55.7)
	Gross Vehicle Weight kg (lbs.)	2097.01 (4623.1)	2097.01 (4623.1)	2097.01 (4623.1)	2097.01 (4623.1)
Cargo Capacity L (cu. Ft.)     428 (15.1)     428 (15.1)     428 (15.1)     428 (15.1)	Payload(GVWR-curb weight) kg (lbs.)	522 (1151)	487 (1074)	482 (1063)	477 (1052)
	Cargo Capacity L (cu. Ft.)	428 (15.1)	428 (15.1)	428 (15.1)	428 (15.1)



точота

plore 💿 Build & Price

Competitive Comparison

STANDARD SPECIFICATIONS  ● Standard — Not Available ↑ Available	LE	SE Upgrade	XSE	XLE
Base Curb Weight kg (lbs.)	1575.01 (3472.3)	1609.98 (3549.4)	1615.02 (3560.5)	1620.01 (3571.5)
Fuel Capacity litres (gal.)	49 (13)	49 (13)	49 (13)	49 (13)
Fuel Consumption - City/Highway/Combined L /100km	4.9/4.8/4.9	5.3/5.0/5.1	5.3/5.0/5.1	5.3/5.0/5.1
Fuel Consumption - City/Highway/Combined mpg	58/59/58	53/56/55	53/56/55	53/56/55
Horsepower (kW)	208	208	208	208

### **POWERTRAIN & MECHANICAL**

|--|

Direct Injection D4-S	٠	٠	٠	٠
Variable Valve Timing with Intelligence Electrically Driven on Intake Cam (VVT-iE)	•	•	•	•
2.5 Litre 4-cylinder DOHC 16-Valve	٠	٠	•	•
Variable Valve Timing with Intelligence on Exhaust Cam (VVT-i)	•	•	•	•
Single exhaust with dual chrome tips	-	٠	•	-
Hybrid Synergy Drive	•	•	•	•
Single exhaust	•			-
Single exhaust with chrome finisher		107	4007	•
STEERING MECHANICAL				
Electric Power Steering (EPS)	٠	•	•	•
SUSPENSION				
Front and Rear Stabilizer Bar	٠	•	•	•
BRAKES				
Rear Disc Brakes	•	•	•	•
Front Disc Brakes	•	•	•	•
Electric Parking Brake (EPB)	•	•	•	•
TRANSMISSION				
Sequential Shift Mode	٠	٠	•	•
Paddle Shifters		•	•	-
Electronically Controlled Continuously Variable Transmission (ECVT)	•	•	•	•
MECHANICAL FEATURES				
EV Mode	•	•	•	•
INTERIOR				
WINDOWS				
Power Windows with Auto Up/Down for All Windows	•	•	•	•

٠

٠

Electric Rear Window Defroster with Timer

٠

•

# 2024 Camry Hybrid



Explore S Build & Price	Competitiv	e Comparison		
STANDARD SPECIFICATIONS	LE	CE Upperede	XSE	XLE
● Standard Not Available ↑ Available	LE	SE Upgrade	ASE	ALE
SEATS				
Heated Front Seats	•	•	•	•
Rear Foldable 60/40 Seats	٠	٠	•	٠
8-way Power Adjustable Drivers Seat	٠	٠	•	٠
Driver Lumbar Support	•	•	•	•
Sport SofTex Seats	-	•		
6-way Manual Passenger Seat	٠	•		
Fabric-trimmed seats	٠	-		
8-way Power Adjustable Passenger Seat	-	-	•	•
Leather-trimmed seats	-	-	•	•
Ventilated Front Seats	-	-	-	•
CLIMATE CONTROL				
Cabin Air Filter	•	•	•	•
Dual Zone Automatic Climate Control	•	•	•	•
INSTRUMENTATION				
4.2-in. colour TFT Multi Information Display	•	•		
7-in. Colour TFT Multi Information Display		=	•	•
Head-Up Display		=		•
STORAGE				
Overhead Sunglass Storage	•	627		
INTERIOR MIRRORS				
Day and Night Mechanical Rear View Mirror	•	107		-
Auto-Dimming Rear View Mirror		•	•	•
STEERING WHEEL				
Till & Telescopic Steering Wheel	•	•	•	•
	-	•	-	-
TRIM				
Leather Wrapped Shift Knob	-	•	•	-
INTERIOR LIGHTING				
Ambient Lighting		=	•	•

## EXTERIOR

#### TIRES • • • • Temporary Spare Tire • P215/55R17 ---P235/45R18 • • --P235/40R19 • --





Explore 🦻 Build & Price	Competitiv	e Comparison		
STANDARD SPECIFICATIONS				
🔹 Standard 🛛 — Not Available 🕆 Available	LE	SE Upgrade	XSE	XLE
WIPERS				
Variable Intermittent Wipers	•	•	•	•
EXTERIOR				
Rear Spoiler		•	•	
Hood Silencer	•	•	•	•
Sport Grille	-	•	•	-
Sport Front and Rear Fascia		•	•	
Front & Rear Splash Guards	•	•	•	•
Power Slide / Tilt Moonroof	-	٠	•	٠
EXTERIOR MIRRORS				
Heated Exterior Mirrors	٠	•	•	•
Integrated LED Signal Lamps	•	•	•	•
EXTERIOR LIGHTING				
Daytime Running Lights	•	•	•	•
Clearance Lamps	٠	•	•	•
Bi-LED Combination headlights with black accents		•	-	
LED Combination taillights with black accents	•	•		
Bi-LED Combination headlights	•	117		
LED Tailights with black accents	-	-	•	•
LED Headlights with black accents	-		•	-
LED Headlights	-			•
WHEELS				
17" Alloy Wheels	•			
18" Alloy Wheels		•		•
19" Alloy Wheels			•	



e (\$) Build & Price

Competitive Comparison

#### IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

\* Payload Capacity is the calculation of GVWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's doorjamb.

\*\* Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

#### Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apply. Service may vary by vehicle and region. See usage precautions and service limitations in Owner's Manual.

#### Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and for vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle witched weight of any require disabling or removing the kick sensor, and the sensor operation setting in your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safely. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended.

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to help avoid or reduce the impact speed and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclist, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions and intersection configuration. Intersection Support will NOT detect pedestrians crossing the road in the same directicel. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manoeuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information.

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving.

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM.

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Dealer are vour bests tource for un-to-adte information. The Toyota ca is updated requipment and it or your Toyota Dealer are vour bests source for un-to-adte information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details.