



Competitive Comparison

### MODELS



PACKAGE Standard Package







PACKAGE Standard Package

### AVAILABLE EXTERIOR COLOURS

White Celestite

Ruby Flare Pearl

Wind Chill Pearl

Underground

Blueprint

Classic Silver Metallic

Standard Package

Midnight Black Metallic

### **AVAILABLE INTERIOR COLOURS**

Black Cloth

Black / Red Cloth

Black / Red SofTex











Competitive Comparison

### STANDARD SPECIFICATIONS

● Standard → Not Available ↑ Available LE LE AWD SE AWD XSE AWD

### **SAFETY & CONVENIENCE**

#### CONVENIENCE

Front Assist Grips	•	•	•	•
Rear Assist Grips	•	•	•	•
Smart Key w/Push Button Start	•	•	•	•
Wireless Charging	=	=	•	•

#### **TOYOTA SAFETY SENSE 3.0**

Toyota Safety Sense 3.0	•	•	•	•
Pre-Collision System	•	•	•	•
Full-Speed Range Dynamic Radar Cruise Control	•	•	•	•
Lane Departure Alert with Steering Assist	•	•	•	•
Automatic High Beam	•	•	•	•
Road Sign Assist	•	•	•	•
Lane Tracing Assist	•	•	•	•

### SAFETY

Front Seat Side Airbags	•	•	•	•
Driver Knee Airbag	•	•	•	•
Front Passenger Seat Cushion Airbag	•	•	•	•
Rear Seat Side Airbags	•	•	•	•
Side Curtain Airbags	•	•	•	•
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•
Backup Camera	•	•	•	•
Blind Spot Monitoring with RCTA and Safe Exit Alert	•	•	•	•
SECURITY				

### **INFOTAINMENT**

Engine Immobilizer

### **AUDIO**

6 Speakers	•	•	•	•
SiriusXM® with 3-month All-Access trial	•	•	•	•
Wireless Apple CarPlay Compatibility	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•
8" Toyota Multimedia w/ Service/Safety Connect (up to 10yr trial), Remote Con.(3yr trial), Drive Con. capable (Sub. Required)	•	•	•	403
8" Toyota Multimedia w/ Service/Safety Connect (up to 10yr trial), Remote/Drive Connect (3yr trial)	-	-	-	•







**Competitive Comparison** 

LE

### STANDARD SPECIFICATIONS

LE AWD

SE AWD

XSE AWD

### **DIMENSIONS**

#### **DIMENSIONS**

DIMENSIONS				
Length mm (in.)	4631 (182.3)	4631 (182.3)	4636 (182.5)	4636 (182.5)
Width mm (in.)	1781 (70.1)	1781 (70.1)	1781 (70.1)	1781 (70.1)
Height mm (in.)	1435 (56.5)	1435 (56.5)	1435 (56.5)	1435 (56.5)
Wheelbase mm (in.)	2700 (106.3)	2700 (106.3)	2700 (106.3)	2700 (106.3)
Seating Capacity	5	5	5	5
Ground Clearance mm (in.)	135 (5.3)	135 (5.3)	135 (5.3)	135 (5.3)
Gross Vehicle Weight kg (lbs.)	1844.99 (4067.5)	1895.02 (4177.8)	1895.02 (4177.8)	1895.02 (4177.8)
Payload(GVWR-curb weight) kg (lbs.)	390 (860)	390 (860)	390 (860)	390 (860)
Cargo Capacity L (cu. Ft.)	371 (13.1)	371 (13.1)	371 (13.1)	371 (13.1)
Base Curb Weight kg (lbs.)	1385.00 (3053.4)	1434.99 (3163.6)	1485.02 (3273.9)	1495.00 (3295.9)
Fuel Capacity litres (gal.)	43 (11)	40 (11)	40 (11)	40 (11)
Fuel Consumption - City/Highway/Combined L /100km	4.4/5.1/4.7	4.6/5.3/4.9	5.0/5.7/5.3	5.0/5.7/5.3
Horsepower (kW)	138	138	138	138
Front Headroom mm (in.)	973 (38.3)	973 (38.3)	973 (38.3)	973 (38.3)
Rear Headroom mm (in.)	942 (37.1)	942 (37.1)	942 (37.1)	942 (37.1)
Front Legroom mm (in.)	1067 (42.0)	1067 (42.0)	1067 (42.0)	1067 (42.0)
Rear Legroom mm (in.)	(34.8)	(34.8)	(34.8)	(34.8)
Front Shoulder Room mm (in.)	1372 (54.0)	1372 (54.0)	1372 (54.0)	1372 (54.0)
Rear Shoulder Room mm (in.)	1313 (51.7)	1313 (51.7)	1313 (51.7)	1313 (51.7)
Turning Circle m. (ft.)	5.5 (18.0)	5.5 (18.0)	5.5 (18.0)	5.5 (18.0)

### **POWERTRAIN & MECHANICAL**

ENGINE				
Hybrid Synergy Drive	•	•	•	•
Dual Variable Valve Timing with intelligence (VVT-i)	•	•	•	•
1.8 Litre 4-cylinder DOHC 16-Valve	•	•	•	•
Lithium-Ion (Li) Battery	•	•	•	•
BRAKES				
Electric Parking Brake (EPB)	•	•	•	•
Rear Disc Brakes	•	•	•	•
Front Disc Brakes	•	•	•	•
SUSPENSION				
Front and Rear Stabilizer Bar	•	•	•	•
Macpherson Strut Front Suspension	•	•	•	•
Multi-Link Type Rear Suspension	•	•	•	•





Competitive Comparison

тоуота

Standard — Not Available	LE	LE AWD	SE AWD	XSE AWD
TEERING MECHANICAL				
lectric Power Steering (EPS)	•	•	•	•
TRANSMISSION				
Electronically Controlled Continuously Variable ransmission (ECVT)	•	•	•	•
NTERIOR				
NTERIOR MIRRORS				
Day and Night Mechanical Rear View Mirror	•	•	•	•
GEATS				
abric Seats	•	•	•	-
Oriver Seat Manual Adjustable Recline/Incline, Oriver Seat Manual Adjustable Height, Driver Geat Manual Adjustable Fore/Aft	•	•	•	-
Rear Foldable 60/40 Seats	•	•	•	•
Heated Front Seats	•	•	•	-
Passenger Seat Manual Adjustable Recline, Passenger Seat Manual Adjustable Vertical Adjustment, Passenger Seat Manual Adjustable	•	•	•	•
3-way Power Adjustable Drivers Seat	-	=	=	•
SofTex Seats	-	=	=	•
Heated Front & Rear Seats	=	=	-	•
CLIMATE CONTROL				
Automatic Climate Control	•	•	•	•
WINDOWS				
Power Windows with Auto Up/Down for All	•	•	•	•
Vindows Electric Rear Window Defroster	•	•	•	•
needie keel Wildow Bellostel		<u> </u>		<u> </u>
NSTRUMENTATION				
'-in. Colour TFT Multi Information Display	•	•	•	•
TEERING WHEEL				
ilt & Telescopic Steering Wheel	•	•	•	•
Jrethane Steering Wheel	•	-	-	-
Heated Leather Wrapped Steering Wheel	-	•	•	•
EXTERIOR				
EXTERIOR				
Power Slide / Tilt Moonroof	-	=	•	•





Competitive Comparison

(49)
TOYOTA

STANDARD SPECIFICATIONS				
Standard — Not Available	LE	LE AWD	SE AWD	XSE AWD
Colour-Keyed Power-Adjustable Heated Outside Mirrors	•	•	•	•
TIRES				
P195/65R15	•	•	-	-
Tire Repair Kit	•	•	•	•
P225/40R18	-	-	•	•
WHEELS				
15" Alloy Wheels	•	•	=	=
18" Alloy Wheels	-	-	•	•
EXTERIOR LIGHTING				
Daytime Running Lights	•	•	•	•
Premium Bi-LED Headlamps	•	•	•	•
WIPERS				
Windshield Wiper Deicer	•	•	•	•
Variable Intermittent Wipers	•	•	•	•
MECHANICAL FEATURES				
Hill-start Assist Control (HAC)	•	•	•	•
All Wheel Drive (AWD)	-	•	•	•
ENGINE				
EV Mode	•	•	•	•





**Competitive Comparison** 



#### IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

\* Payload Capacity is the calculation of GVWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's

\*\* Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

#### Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apoly. Service may vary by weblice and region. See usage or precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weight is to weigh your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safety. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details