



(5) Build & Price

MODELS



PACKAGE Standard Package

Double Cab SR 4X2 Long Bed

PACKAGE Standard Package



PACKAGE

Standard Package

L→ SR5

L₃ SR5 TRD Sport

SR5 TRD Off Road



Standard Package

Double Cab Limited

PACKAGE

Standard Package Limited TRD Off Road

AVAILABLE EXTERIOR COLOURS

Celestial Silver Metallic

Army Green

Wind Chill Pearl

Midnight Black Metallic

Lunar Rock

Magnetic Grey Metallic

Supersonic Red

Blueprint

AVAILABLE INTERIOR COLOURS

Black Cloth

Black SofTex

Grey SofTex













OPTIONAL PACKAGES

TUNDRA DOUBLE CAB SR

SR5

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- · Heated Leather Wrapped Steering Wheel
- Horsepower (kW): 389 (290)
- · Active Grille Shutters
- · Heated Front Seats

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Towing Capacity kg (lbs.): 5080 (11199)
- · Dual Zone Automatic Climate Control
- · Leather Wrapped Shift Knob
- 18" Alloy Wheels
- LED Fog Lamps

- 8-way Power Adjustable Driver and Passenger Seats
- Fuel Capacity litres (gal.): 122 (32)
- · Hill-start Assist Control (HAC)
- Trailer Brake Controller
- · Active Front Spoiler
- P265/70R18

SR5 TRD OFF ROAD

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Rear Shoulder Room mm (in.): 1585 (62.4)
- Dual Zone Automatic Climate Control
- TRD Leather Wrapped Shift Knob
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- Crawl Control (CRAWL)
- · TRD Front Grille

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Side Rail with Four Adjustable Tie Down Cleats
- Towing Capacity kg (lbs.): 5080 (11199)
- · Blind Spot Monitoring with RCTA
- 18" Offroad Alloy Wheels
- Horsepower (kW): 389 (290)
- Trailer Brake Controller
- · Multi-Terrain Select
- · LED Fog Lamps

- 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- Fuel Capacity litres (gal.): 122 (32)
- Hill-start Assist Control (HAC)
- DAC (Downhill Assist Control)
- TRD Heated Steering Wheel
- · Active Grille Shutters
- Heated Front Seats
- P265/70R18

SR5 TRD SPORT

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Rear Shoulder Room mm (in.): 1585 (62.4)
 Dual Zone Automatic Climate Control
- TRD Sport Tuned Shock Absorbers
- THE operation of the children
- Horsepower (kW): 389 (290)
 Active Grille Shutters
- TRD Front Grille

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Side Rail with Four Adjustable Tie Down Cleats
- Towing Capacity kg (lbs.): 5080 (11199)
- · Blind Spot Monitoring with RCTA
- TRD Leather Wrapped Shift Knob
- TRD Heated Steering Wheel
- Active Front Spoiler
- LED Fog Lamps

- 8-way Power Adjustable Driver and Passenger
 Seats
- · Intuitive Parking Assist with Auto Braking
- Fuel Capacity litres (gal.): 122 (32)
- Hill-start Assist Control (HAC)
- 20" Sport Alloy Wheels
- Trailer Brake Controller
- Heated Front Seats
- P265/60R20

TUNDRA DOUBLE CAB LIMITED

LIMITED TRD OFF ROAD

- 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- TRD Front Grille

- DAC (Downhill Assist Control)
- · Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

- Remove: Active Front Spoiler
- TRD Heated Steering Wheel
- · Multi-Terrain Select







STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	Double Cab SR 4X2 Regular Bed	oouble Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
SAFETY & CONVENIENCE					
SAFETY					
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•	•
Front Seat Mounted Side Airbags	•	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•	•
Backup Camera with Back Guide Monitor	•	•	•	•	•
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•	•
Blind Spot Monitoring with RCTA	=	-	↑	=	•
Intuitive Parking Assist with Auto Braking	-	-	↑	-	•
STAR SAFETY SYSTEM					
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•	•
Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•	•
Star Safety System: Brake Assist (BA)	•	•	•	•	•
Star Safety System: Vehicle Stability Control (VSC)	•	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•	•
Star Safety System: Traction Control (TRAC)	•	•	•	•	•
TOYOTA SAFETY SENSE 2.5					
Automatic High Beam	•	•	•	•	•
Lane Departure Alert with Steering Assist	•	•	•	•	•
Lane Tracing Assist	•	•	•	•	•
Dynamic Radar Cruise Control	•	•	•	•	•
Right/Left Turn Oncoming Pedestrian Detection /Braking	•	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	•	•	•	•	•

Sway Warning System	•	•	•	•	•
WARNING					

CONVENIENCE	

Smart Key w/Push Button Start	•	•	-	-	-



Pre-Collision System with Risk Avoidance

Tire Pressure Monitoring System with Auto

Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian

Emergency Steering Assist

Detection





\oplus
TOYOTA

STANDARD SPECIFICATIONS	Double Cab SR 4X2 Regular				
Standard — Not Available	Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
Power Door Locks	•	•	•	•	•
12Volt Accessory Power Outlet	•	•	•	•	•
Smart Key w/Push Button Start + Tailgate	-	-	•	•	•
Tailgate Release Bump Switch (located in driver's-side taillight)	-	==	-	-	•
Wireless Charging	-	=	=	=	•
SECURITY					
Anti-Theft Alarm System	•	•	•	•	•

INFOTAINMENT

TO				

TOYOTA MULTIMEDIA					
SiriusXM Audio	•	•	•	•	•
HD Radio	•	•	•	•	•
Wireless Apple CarPlay Compatibility	•	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•	•
Toyota Assistant	•	•	•	•	•
5 Speakers	•	•	•	•	•
Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist) - Paid Subscription Required	•	•	•	•	-
8" Toyota Multimedia	•	•	•	•	-
Bluetooth Capability	•	•	•	•	•
Toyota Multimedia w/Service Con. (up to 10 yr. trial), Safety Con. (Up to 10 yr. trial) and Remote Con. (3 yr. trial)	•	•	•	•	=
Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	-	-	-	-	•
14" Toyota Multimedia	-	-	-	-	•
B Year Trial of Drive Connect (Cloud Navigation, ntelligent Assistant, Destination Assist)	-	-	-	==	•
AUDIO					

DIMENSIONS

USB Input/Charging Port

DIMENSIONS

Length mm (in.)	5932 (233.5)	6412 (252.4)	5932 (233.5)	6412 (252.4)	5932 (233.5)
Width mm (in.)	2030 (79.9)	2030 (79.9)	2030 (79.9)	2030 (79.9)	2030 (79.9)
Height mm (in.)	1926 (75.8)	1926 (75.8)	1982 (78.0)	1982 (78.0)	1982 (78.0)
Wheelbase mm (in.)	3699 (145.6)	4179 (164.5)	3699 (145.6)	4179 (164.5)	3699 (145.6)
Seating Capacity	5	5	5	5	5
Ground Clearance mm (in.)	264 (10.4)	262 (10.3)	279 (11.0)	274 (10.8)	277 (10.9)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)









STANDARD SPECIFICATIONS	Double Cab SR 4X2 Regular				
Standard — Not Available	Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	846 (33.3)	846 (33.3)	846 (33.3)	846 (33.3)	846 (33.3)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1611 (63.4)	1611 (63.4)	1611 (63.4)	1611 (63.4)	1611 (63.4)
Gross Vehicle Weight kg (lbs.)	3191.03 (7035.0)	3249.99 (7165.0)	3295.35 (7265.0)	3345.25 (7375.0)	3315.76 (7310.0)
Towing Capacity kg (lbs.)	3760 (8289)	3760 (8289)	3760 (8289)	5030 (11089)	5035 (11100)
Payload(GVWR-curb weight) kg (lbs.)*	880 (1940)	850 (1874)	855 (1885)	820 (1808)	825 (1819)
Base Curb Weight kg (lbs.)	2310.01 (5092.7)	2400.01 (5291.1)	2440.01 (5379.3)	2525.02 (5566.7)	2490.00 (5489.5)
Fuel Capacity litres (gal.)	85 (22)	85 (22)	85 (22)	122 (32)	122 (32)
Fuel Consumption - City/Highway/Combined L /100km	13.1/10.1/11.8	13.1/10.1/11.8	13.6/10.4/12.2	13.5/10.6/12.2	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined mpg	22/28/24	22/28/24	21/27/23	21/27/23	21/27/23
Horsepower (kW)	348 (260)	348 (260)	348 (256)	389 (290)	389 (290)
Approach Angle (Degrees)	23	23	21	21	21
Departure Angle (Degrees)	22	22	24	24	24
Cargo Bed Length	-	-	1982 (78.0)	2469 (97.2)	1982 (78.0)

POWERTRAIN & MECHANICAL

•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
=	-	-	•	•
•	•	•	•	•
-	-	-	-	•
=	=	↑	=	•
	•			

INTERIOR









STANDARD SPECIFICATIONS Standard — Not Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
INTERIOR MIRRORS					
Day and Night Mechanical Rear View Mirror	•	•	•	•	-
Electrochromic Rear View Mirror w/Homelink (EC)	=	-	=	=	•
FLOORING					
All Season Floor Mats	•	•	•	•	•
STEERING WHEEL					
Filt & Telescopic Steering Wheel	•	•	•	•	•
Heated Leather Wrapped Steering Wheel	-	-	↑	•	•
WINDOWS					
Front Windshield Acoustic Glass	•	•	•	•	•
Electric Rear Window Defroster	•	•	•	•	•
Rear Side Window Privacy Glass	•	•	•	•	•
Black Window Frame	•	•	-	-	-
Power Sliding Rear Window	•	•	•	•	•
Power Windows with Driver Side Auto Down	-	-	•	•	•
CLIMATE CONTROL					
Rear Seat Heater Ducts	•	•	•	•	•
Single Zone Automatic Climate Control	•	•	•	-	-
Dual Zone Automatic Climate Control	-	-	↑	•	•
INSTRUMENTATION					
4.2-in. colour TFT Multi Information Display	•	•	•	•	•
Oil Pressure Gauge	•	•	•	•	•
Voltmeter	•	•	•	•	•
INTERIOR LIGHTING					
lluminated Entry	•	•	•	•	•
SEATS					
Fabric Seats	•	•	•	•	-
Heated Front Seats	-	-	↑	•	•
8-way Power Adjustable Driver and Passenger Seats	=	-	↑	•	•
2-way Power Adjustable Driver and Passenger Lumbar Support	-	-	↑	•	•
Ventilated Front Seats	-	-	-	-	•
Driver Seat Memory System	-	-	-	-	•
SofTex Seats	-	-	-	-	•
TRIM					
Silver Inside Door Handle	-	-	•	•	•









Standard — Not Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
eather Wrapped Shift Knob	-	=	↑	•	•
EXTERIOR					
FIRES					
P245/75R18	•	•	•	-	-
P265/70R18	-	=	↑	•	↑
2265/60R20	-	-	↑	-	•
WIPERS					
/ariable Intermittent Wipers	•	•	•	•	•
Nindshield Wiper De-Icer	•	•	•	•	•
EXTERIOR MIRRORS					
Power Adjustable Heated Exterior Mirrors	•	•	•	•	•
Power Folding Mirrors	-	-	-	-	•
Memory Mirrors	-	-	-	=	•
Electrochromic Driver's Side View Mirror	-	-	-	-	•
EXTERIOR LIGHTING					
Bi-Beam LED Headlamps	•	•	•	•	•
Headlamps with Manual Level Control	•	•	•	•	•
ED Daytime Running Lights	=	=	•	•	•
LED Fog Lamps	-	-	↑	•	•
EXTERIOR					
Black Mud Guards	•	•	•	•	•
Active Grille Shutters	=	=	↑	•	•
Active Front Spoiler	-	-	↑	•	•
WHEELS					
8" Styled Steel Wheels	•	•	•	-	-
8" Alloy Wheels	-	-	↑	•	-
20" Alloy Wheels	-	=	-	-	•
MECHANICAL FEATURES					
Part-Time 4WD	-	=	•	•	•
Hill-start Assist Control (HAC)	-	-	↑	•	•
railer Brake Controller	-	-	↑	•	•
Orive Mode Select (Sport, Eco and Normal Modes)	-	-	↑	=	_

OPTIONAL FEATURES

OPTIONAL FEATURES





20" Sport Alloy Wheels

Remove: Active Front Spoiler

Multi Terrain View Monitor

STANDARD SPECIFICATIONS





 \uparrow

 \uparrow

STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
DAC (Downhill Assist Control)	-	-	↑	-	↑
Crawl Control (CRAWL)	-	-	↑	-	↑
Multi-Terrain Select	=	=	↑	=	↑
Locking Rear Differential	=	=	↑	=	↑
TRD Off Road Shock Absorbers	=	=	↑	=	↑
18" Offroad Alloy Wheels	=	=	↑	=	↑
TRD Leather Wrapped Shift Knob	=	-	↑	-	=
TRD Heated Steering Wheel	=	-	↑	-	↑
TRD Sport Tuned Shock Absorbers	=	-	↑	-	=

 \uparrow

PRODUCT SUMMARY

2023 Tundra Double Cab Gas







IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- * Payload Capacity is the calculation of GWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's docriamb
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apply. Service may vary by which ead region. See usage or executions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle without passengers or cargo. Installation of a tow hitch receiver or other accessories located near the rear bumper may require disabling or removing the kick sensor, and the sensor operation setting in your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safety. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota.ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details





(5) Build & Price

MODELS



PACKAGE

Standard Package

L→ SR5

L→ SR5 TRD Sport

SR5 TRD Off Road

CrewMax SR5 L

PACKAGE

Standard Package

L→ TRD Off Road

CrewMax Limited

PACKAGE

Standard Package

Limited TRD Off Road

CrewMax Limited L



PACKAGE

Standard Package

Limited TRD Off Road

CrewMax Platinum



PACKAGE

Standard Package

l Platinum 1794

CrewMax Platinum L



PACKAGE

Standard Package

L Platinum 1794

AVAILABLE EXTERIOR COLOURS

White

Celestial Silver Metallic

Smoked Mesquite

Blueprint

- Wind Chill Pearl
- Midnight Black Metallic
- Army Green

- Magnetic Grey Metallic
- Supersonic Red
- Lunar Rock

AVAILABLE INTERIOR COLOURS

Black Cloth

Black Leather

Black SofTex

Saddle Tan Leather

Grey SofTex











тоуота

OPTIONAL PACKAGES

TUNDRA CREWMAX SR

SR5

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Heated Leather Wrapped Steering Wheel
- Horsepower (kW): 389 (290)
- · Active Grille Shutters
- · Heated Front Seats

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Towing Capacity kg (lbs.): 5060 (11155)
- · Dual Zone Automatic Climate Control
- · Leather Wrapped Shift Knob
- 18" Alloy Wheels
- LED Fog Lamps

- 8-way Power Adjustable Driver and Passenger Seats
- Fuel Capacity litres (gal.): 122 (32)
- · Hill-start Assist Control (HAC)
- · Trailer Brake Controller
- · Active Front Spoiler
- P265/70R18

SR5 TRD OFF ROAD

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Towing Capacity kg (lbs.): 5060 (11155)
- · Blind Spot Monitoring with RCTA
- 18" Offroad Alloy Wheels
- Horsepower (kW): 389 (290)
- Trailer Brake Controller
- · Multi-Terrain Select
- LED Fog Lamps

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Side Rail with Four Adjustable Tie Down Cleats
- · Fuel Capacity litres (gal.): 122 (32)
- · Hill-start Assist Control (HAC)
- · DAC (Downhill Assist Control)
- · TRD Heated Steering Wheel
- · Active Grille Shutters
- · Heated Front Seats
- P265/70R18

- 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- · Dual Zone Automatic Climate Control
- TRD Leather Wrapped Shift Knob
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- Crawl Control (CRAWL)
- · TRD Front Grille

SR5 TRD SPORT

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Towing Capacity kg (lbs.): 5060 (11155)
- Blind Spot Monitoring with RCTA
- TRD Leather Wrapped Shift Knob
- TRD Heated Steering Wheel
- Active Front SpoilerLED Fog Lamps

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Side Rail with Four Adjustable Tie Down Cleats
- Fuel Capacity litres (gal.): 122 (32)
- TRD Sport Tuned Shock Absorbers
- 20" Sport Alloy Wheels
- Trailer Brake Controller
- Heated Front Seats
- P265/60R20

- 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- Dual Zone Automatic Climate Control
- · Hill-start Assist Control (HAC)
- Horsepower (kW): 389 (290)
- Active Grille Shutters
- TRD Front Grille

TUNDRA CREWMAX SR5 L


TRD OFF ROAD

- Side Rail with Four Adjustable Tie Down Cleats
- TRD Leather Wrapped Shift Knob
- Remove: Active Front Spoiler
- · Locking Rear Differential
- TRD Front Grille

- Intuitive Parking Assist with Auto Braking
- 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- Crawl Control (CRAWL)

- Blind Spot Monitoring with RCTA
- DAC (Downhill Assist Control)
- TRD Heated Steering Wheel
- · Multi-Terrain Select







TUNDRA CREWMAX LIMITED

LIMITED TRD OFF ROAD

- 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- TRD Front Grille

- DAC (Downhill Assist Control)
- · Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

- Remove: Active Front Spoiler
- · TRD Heated Steering Wheel
- Multi-Terrain Select

TUNDRA CREWMAX LIMITED L

LIMITED TRD OFF ROAD

- 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- TRD Front Grille

- DAC (Downhill Assist Control)
- Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

- · Remove: Active Front Spoiler
- TRD Heated Steering Wheel
- Multi-Terrain Select

TUNDRA CREWMAX PLATINUM

PLATINUM 1794

• 20" Machine-finished alloy wheels

• Chrome grille and exterior accents

• Real Walnut Wood Trim

TUNDRA CREWMAX PLATINUM L

PLATINUM 1794

• 20" Machine-finished alloy wheels

• Chrome grille and exterior accents

• Real Walnut Wood Trim







STANDARD SPECIFICATIONS	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Standard — Not Available	Clewindx 3R	CIEWINAX SKS L	Crewinax Limited	Crewinax Limited L	Clewinax Platinum	Crewinax Plaunum L
SAFETY & CONVENIENCE						
SAFETY						
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•	•	•
Front Seat Mounted Side Airbags	•	•	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•	•	•
Backup Camera with Back Guide Monitor	•	•	•	•	-	-
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•	•	•
Blind Spot Monitoring with RCTA	↑	↑	•	•	•	•
Intuitive Parking Assist with Auto Braking	↑	↑	•	•	•	•
Panoramic View Monitor	-	-	-	-	•	•
STAR SAFETY SYSTEM						
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•	•	•
Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•	•	•
Star Safety System: Brake Assist (BA)	•	•	•	•	•	•
Star Safety System: Vehicle Stability Control (VSC)	•	•	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•	•	•
Star Safety System: Traction Control (TRAC)	•	•	•	•	•	•
TOYOTA SAFETY SENSE 2.5						
Automatic High Beam	•	•	•	•	•	•
Lane Departure Alert with Steering Assist	•	•	•	•	•	•
Lane Tracing Assist	•	•	•	•	•	•
Dynamic Radar Cruise Control	•	•	•	•	•	•
Right/Left Turn Oncoming Pedestrian Detection/Braking	•	•	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	•	•	•	•	•	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•	•	•
Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection	•	•	•	•	•	•
Sway Warning System	•	•	•	•	•	•
WARNING						
Tire Pressure Monitoring System with Auto Location	•	•	•	•	•	•
CONVENIENCE						
Power Door Locks	•	•	•	•	•	•
12Volt Accessory Power Outlet	•	•	•	•	•	•









STANDARD SPECIFICATIONS Standard — Not Available Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Smart Key w/Push Button Start + Tailgate	•	•	•	•	•	•
Tailgate Release Bump Switch (located in driver's-side taillight)	=	=	•	•	•	•
Wireless Charging	=	=	•	•	•	•
Trailer Backup Guide w/ Straight Path Assist	=	=	-	=	•	•
SECURITY						
Anti-Theft Alarm System	•	•	•	•	•	•

INFOTAINMENT

TOVOT	MIII A	TIMED	IΔ

SiriusXM Audio	•	•	•	•	•	•
SiliusXII Addio						
HD Radio	•	•	•	•	•	•
Wireless Apple CarPlay Compatibility	•	•	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•	•	•
Toyota Assistant	•	•	•	•	•	•
Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist) - Paid Subscription Required	•	•	-	-	-	-
8" Toyota Multimedia	•	•	-	-	-	-
Bluetooth Capability	•	•	•	•	•	•
Toyota Multimedia w/Service Con. (up to 10 yr. trial), Safety Con. (Up to 10 yr. trial) and Remote Con. (3 yr. trial)	•	•	-	-	-	-
9 Speakers	•	•	•	•	-	=
Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	-	-	•	•	•	•
14" Toyota Multimedia	-	-	•	•	•	•
3 Year Trial of Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist)	-	-	•	•	•	•
12 Speaker JBL Audio System	-	_	_	-	•	•

DIMENSIONS

USB Input/Charging Port

DIMENSIONS

Length mm (in.)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)
Width mm (in.)	2032 (80.0)	2032 (80.0)	2030 (79.9)	2032 (80.0)	2032 (80.0)	2032 (80.0)
Height mm (in.)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)
Wheelbase mm (in.)	3701 (145.7)	4006 (157.7)	3699 (145.6)	4006 (157.7)	3701 (145.7)	4006 (157.7)
Seating Capacity	5	5	5	5	5	5
Ground Clearance mm (in.)	279 (11.0)	277 (10.9)	279 (11.0)	277 (10.9)	277 (10.9)	274 (10.8)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)









Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)
Gross Vehicle Weight kg (lbs.)	3270.40 (7210.0)	3329.37 (7340.0)	3280.02 (7231.2)	3340.71 (7365.0)	3304.42 (7285.0)	3345.25 (7375.0)
Towing Capacity kg (lbs.)	3760 (8289)	4990 (11001)	5045 (11122)	4975 (10968)	5010 (11045)	4935 (10880)
Payload(GVWR-curb weight) kg (lbs.)*	825 (1819)	780 (1720)	790 (1742)	745 (1642)	755 (1664)	715 (1576)
Base Curb Weight kg (lbs.)	2445.00 (5390.3)	2550.01 (5621.8)	2490.00 (5489.5)	2595.01 (5721.0)	2550.01 (5621.8)	2630.02 (5798.2)
Fuel Capacity litres (gal.)	85 (22)	122 (32)	122 (32)	122 (32)	122 (32)	122 (32)
Fuel Consumption - City/Highway/Combined L/100km	13.6/10.4/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined mpg	21/27/23	21/27/23	21/27/23	21/27/23	21/27/23	21/27/23
Horsepower (kW)	348 (256)	389 (290)	389 (290)	389 (290)	389 (290)	389 (290)
Approach Angle (Degrees)	21	21	21	21	21	21
Departure Angle (Degrees)	24	24	24	24	24	24
Cargo Bed Length	1677 (66.0)	1982 (78.0)	1677 (66.0)	1982 (78.0)	1677 (66.0)	1982 (78.0)

POWERTRAIN & MECHANICAL

POWERTRAIN & MECHANICAL						
TRANSMISSION						
10-speed Direct Shift Automatic Transmission	•	•	•	•	•	•
BRAKES						
Electric Parking Brake (EPB)	•	•	•	•	•	•
ENGINE						
Intercooled	•	•	•	•	•	•
3.5 Litre Twin Turbo V6	•	•	•	•	•	•
Stop and Start Engine System (S&S)	•	•	•	•	•	•
Active Noise Control	-	-	=	-	•	•
SUSPENSION						
Independent Front Suspension	•	•	•	•	•	•
Rear Coil Springs	•	•	•	•	•	•
MECHANICAL FEATURES						
Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	-	•	•	•	•	•
Trailer Backup Guide w/ Straight Path Assist	-	-	-	-	•	•
TRUCK BED						
Header rail	•	•	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet	-	-	•	•	•	•
Side Rail with Four Adjustable Tie Down Cleats	↑	Λ.	•	•	•	•









STANDARD SPECIFICATIONS

INTERIOR

INTERIOR MIRRORS

Electrochromic Rear View Mirror w/Homelink (EC) Digital Display Rear View Mirror with Homelink	Day and Night Mechanical Rear View Mirror	•	•	-	-	-	-
Digital Display Rear View Mirror with Homelink	Electrochromic Rear View Mirror w/Homelink (EC)	-	-	•	•	-	-
	Digital Display Rear View Mirror with Homelink	-	-	-	-	•	•

FLOORING

All Season Floor Mats	•	•	•	

STEERING WHEEL

Tilt & Telescopic Steering Wheel	•	•	•	•	-	-
Heated Leather Wrapped Steering Wheel	\uparrow	•	•	•	•	•
Power Tilt & Telescopic Steering Wheel	=	-	-	-	•	•

WINDOWS

WINDOWS						
Front Windshield Acoustic Glass	•	•	•	•	•	•
Electric Rear Window Defroster	•	•	•	•	•	•
Rear Side Window Privacy Glass	•	•	•	-	•	•
Power Windows with Driver Side Auto Down	•	•	•	•	•	•
Power Vertical Sliding Rear Window	•	•	•	•	•	•
Tower vertical straing near William						

CLIMATE CONTROL

Rear Seat Heater Ducts	•	•	•	•	•	•
Single Zone Automatic Climate Control	•	-	-	-	-	-
Dual Zone Automatic Climate Control	↑	•	•	•	•	•

INSTRUMENTATION

4.2-in. colour TFT Multi Information Display	•	•	•	•	-	-
Oil Pressure Gauge	•	•	•	•	•	•
Voltmeter	•	•	•	•	•	•
Full TFT LCD Gauge Cluster	-	-	-	-	•	•
Head-Up Display	-	-	-	-	•	•

INTERIOR LIGHTING

Illuminated Entry	•	•	•	•	•	•
Ambient Lighting	=	-	-	-	•	•

SEATS

Fabric Seats

Heated Front Seats	\uparrow	•	•	•	•	•
8-way Power Adjustable Driver and Passenger Seats	\uparrow	•	•	•	-	-
2-way Power Adjustable Driver and Passenger Lumbar Support	↑	•	•	•	-	_





\odot
TOYOTA

Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Ventilated Front Seats	_	=	•	•	•	•
Driver Seat Memory System	_	_	•	•	•	•
SofTex Seats	=	-	•	•	-	=
Heated Rear Seats	=	-	-	=	•	•
Leather Seats	-	-	-	-	•	•
10-way Power Adjustable Driver Seat, 8-way Power Adjustable Passenger Seat	-	-	-	-	•	•
4-way Power Adjustable Driver and Passenger Lumbar Support	=	=	=	-	•	•
Ventilated Rear Seats	-	-	-	=	•	•
TRIM						
Silver Inside Door Handle	•	•	•	•	•	•
Leather Wrapped Shift Knob	↑	•	•	•	•	•
EXTERIOR						
TIRES						
P245/75R18	•	-	-	-	-	-
P265/70R18	↑	•	↑	↑	-	-
P265/60R20	↑	-	•	•	•	•
WIPERS						
Variable Intermittent Wipers	•	•	•	•	-	-
Windshield Wiper De-Icer	•	•	•	•	•	•
Rain Sensing Wipers	-	-	-	-	•	•
EXTERIOR MIRRORS						
Power Adjustable Heated Exterior Mirrors	•	•	•	•	•	•
Power Folding Mirrors	-	-	•	•	-	-
Memory Mirrors	-	-	•	•	•	•
Electrochromic Driver's Side View Mirror	-	-	•	•	•	•
Power Extendable/Folding Towing Mirrors	-	-	=	=	•	•
EXTERIOR LIGHTING						
Bi-Beam LED Headlamps	•	•	•	•	-	-
Headlamps with Manual Level Control	•	•	•	•	-	-
LED Daytime Running Lights	•	•	•	•	•	•
LED Fog Lamps	↑	•	•	•	•	•
Auto Leveling Headlamp System	-	-	-	=	•	•
Premium Triple-Beam LED Headlamps	-	-	-	-	•	•
EXTERIOR						
Black Mud Guards	•	•	•	•	•	•
Active Grille Shutters			•			





STANDARD SPECIFICATIONS





Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Active Front Spoiler	↑	•	•	•	•	•
Panoramic Moonroof	-	=	•	•	•	•
WHEELS						
18" Styled Steel Wheels	•	-	-	-	=	-
18" Alloy Wheels	↑	•	-	-	-	-
20" Alloy Wheels		=	•	•	•	•
MECHANICAL FEATURES						
Part-Time 4WD	•	•	•	•	•	•
Hill-start Assist Control (HAC)	↑	•	•	•	•	•

 \uparrow

 \uparrow

OPTIONAL FEATURES

Drive Mode Select (Sport, Eco and Normal Modes)

Trailer Brake Controller

ONAL	

OPTIONAL FEATURES						
TRD Front Grille	↑		↑	Λ.	-	-
DAC (Downhill Assist Control)	↑		↑	↑	-	=
Crawl Control (CRAWL)	↑		↑	Λ.	-	-
Multi-Terrain Select	↑		↑	Λ.	-	-
Locking Rear Differential	↑		↑	Λ.	-	-
TRD Off Road Shock Absorbers	↑		↑	Λ.	-	-
18" Offroad Alloy Wheels	↑		↑	Λ.	-	-
TRD Leather Wrapped Shift Knob	↑		=	=	-	=
TRD Heated Steering Wheel	↑		↑	↑	-	=
TRD Sport Tuned Shock Absorbers	↑	=	=	=	-	=
20" Sport Alloy Wheels	↑	-	=	-	-	-
Remove: Active Front Spoiler	=		↑	↑	-	=
Multi Terrain View Monitor	=	=	↑	↑	-	=
20" Machine-finished alloy wheels	=	=	=	=	↑	↑
Real Walnut Wood Trim	=	-	=	-	↑	↑
Chrome grille and exterior accents	-	-	-	-	↑	↑

PRODUCT SUMMARY

2023 Tundra CrewMax Cab Gas







IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- * Payload Capacity is the calculation of GVWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apply. Service may vary by which ead region. See usage or executions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle without passengers or cargo. Installation of a tow hitch receiver or other accessories located near the rear bumper may require disabling or removing the kick sensor, and the sensor operation setting in your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safely. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota.ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details





S Build & Price

MODELS



PACKAGE

Standard Package

Limited TRD Off Road

Ly TRD Pro

CrewMax Limited L

PACKAGE

Standard Package

Limited TRD Off Road

CrewMax Platinum

PACKAGE

Standard Package

L 1794

La Platinum with Advanced Package

L₃ 1794 with Advanced Package

CrewMax Capstone

PACKAGE Standard Package

AVAILABLE EXTERIOR COLOURS

White

Celestial Silver Metallic

Solar Octane

Lunar Rock

Wind Chill Pearl

Midnight Black Metallic

Smoked Mesquite

Blueprint

Magnetic Grey Metallic

Supersonic Red

Army Green

AVAILABLE INTERIOR COLOURS

Black SofTex

Black Leather

Grey SofTex

Saddle Tan Leather

Cockpit Red SofTex

Black/White Semi-Aniline Leather













OPTIONAL PACKAGES

TUNDRA HYBRID CREWMAX LIMITED

LIMITED TRD OFF ROAD

- Xply™ Armor high-strength engine, fuel tank and transfer case undercovers
- Remove: Active Front Spoiler
- · TRD Heated Steering Wheel
- · Multi-Terrain Select

- · DAC (Downhill Assist Control)
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- · TRD Front Grille

- 18" Offroad Alloy Wheels
- Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

TRD PRO

- TRD Pro Off-road Suspension with 1.1-in. front lift (2.5-in. FOX® Internal Bypass coil-overs and rear remote-reservoir shocks)
- TRD Pro Heritage 'TOYOTA' Grille w/ LED light bar
- 'TOYOTA' passenger-side dash panel badging
- 'TRD PRO' stamped tailgate
- Black Dual Exhaust w/ TRD logo
- · Auto Leveling Headlamp System
- TRD Pro Front Stabilizer Bar
- TRD Heated Steering Wheel
- · Crawl Control (CRAWL)
- TRD Skid Plate

- Xply™ Armor high-strength engine, fuel tank and transfer case undercovers
- TRD Pro Logo / technical camo pattern inserts on front seats
- · 'Technical Camouflage' exterior accents
- Front Headroom mm (in.): 998 (39.3)
- · Remove: Active Grille Shutters
- · Remove: Active Front Spoiler
- 12 Speaker JBL Audio System
- Smoked Headlamps/Foglamps
- Multi-Terrain Select
- P285/65R18

- Fuel Consumption City/Highway/Combined L /100km: 12.9/11.6/12.3
- Fuel Consumption City/Highway/Combined mpg: 22/24/23
- 18" TRD Pro Black Forged BBS® Wheels
- Rear Headroom mm (in.): 937 (36.9)
- · DAC (Downhill Assist Control)
- Exterior Amber Marker Lights
- Multi Terrain View MonitorLocking Rear Differential
- TRD Pro Hood Badge

TUNDRA HYBRID CREWMAX LIMITED L

LIMITED TRD OFF ROAD

- Xply™ Armor high-strength engine, fuel tank and transfer case undercovers
- · Remove: Active Front Spoiler
- · TRD Heated Steering Wheel
- · Multi-Terrain Select

- DAC (Downhill Assist Control)
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- TRD Front Grille

- 18" Offroad Alloy Wheels
- Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

TUNDRA HYBRID CREWMAX PLATINUM

1794

- 20" Machine-finished alloy wheels
- Chrome grille and exterior accents
- Real Walnut Wood Trim

PLATINUM WITH ADVANCED PACKAGE

- Load-leveling Rear Height Control Air Suspension
- Drive Mode Select (5 modes)

- Adaptive Variable Suspension (AVS)
- · Power Running Boards and Bed Step

1794 WITH ADVANCED PACKAGE

- Load-leveling Rear Height Control Air Suspension
- Power Running Boards and Bed Step
- Drive Mode Select (5 modes)







STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
SAFETY & CONVENIENCE				
SAFETY				
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•
Front Seat Mounted Side Airbags	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•
Backup Camera with Back Guide Monitor	•	•	-	-
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•
Blind Spot Monitoring with RCTA	•	•	•	•
Intuitive Parking Assist with Auto Braking	•	•	•	•
Panoramic View Monitor	-	-	•	•
STAR SAFETY SYSTEM				
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•
Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•
Star Safety System: Brake Assist (BA)	•	•	•	•
Star Safety System: Vehicle Stability Control (VSC)	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•
Star Safety System: Traction Control (TRAC)	•	•	•	•
TOYOTA SAFETY SENSE 2.5				
Automatic High Beam	•	•	•	•
Lane Tracing Assist	•	•	•	•
Dynamic Radar Cruise Control	•	•	•	•
Right/Left Turn Oncoming Pedestrian Detection /Braking	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	•	•	•	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•
Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection	•	•	•	•
Sway Warning System	•	•	•	•
WARNING				
Tire Pressure Monitoring System with Auto Location	•	•	•	•
CONVENIENCE				
Power Door Locks	•	•	•	•









STANDARD SPECIFICATIONS				
Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
12Volt Accessory Power Outlet	•	•	•	•
Smart Key w/Push Button Start + Tailgate	•	•	•	•
Tailgate Release Bump Switch (located in driver's-side taillight)	•	•	•	•
Wireless Charging	•	•	•	•
Power Fuel Lid Release	•	•	•	•
SECURITY				
Anti-Theft Alarm System	•	•	•	•

INFOTAINMENT

TOYOTA MULTIMEDIA				
SiriusXM Audio	•	•	•	•
HD Radio	•	•	•	•
Wireless Apple CarPlay Compatibility	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•
Toyota Assistant	•	•	•	•
Bluetooth Capability	•	•	•	•
9 Speakers	•	•	-	-
Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	•	•	•	•
14" Toyota Multimedia	•	•	•	•
12 Speaker JBL Audio System	↑	=	•	•
AUDIO				
USB Input/Charging Port	•	•	•	•

DIMENSIONS

DIMENSIONS

Length mm (in.)	5932 (233.5)	6237 (245.5)	5932 (233.5)	5932 (233.5)
Width mm (in.)	2032 (80.0)	2032 (80.0)	2032 (80.0)	2032 (80.0)
Height mm (in.)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)
Wheelbase mm (in.)	3701 (145.7)	4006 (157.7)	3701 (145.7)	3701 (145.7)
Seating Capacity	5	5	5	5
Ground Clearance mm (in.)	282 (11.1)	279 (11.0)	279 (11.0)	277 (10.9)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	998 (39.3)	998 (39.3)
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	937 (36.9)	937 (36.9)
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)
Gross Vehicle Weight kg (lbs.)	3455.02 (7617.0)	3514.98 (7749.2)	3475.02 (7661.1)	3480.01 (7672.1)









STANDARD SPECIFICATIONS	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone	
Standard — Not Available	Crewinax Limited	Crewinax Limited L	Crewinax Plaunum		
Towing Capacity kg (lbs.)	5067 (11171)	5005 (11034)	4995 (11012)	4690 (10340)	
Payload(GVWR-curb weight) kg (lbs.)*	730 (1609)	750 (1653)	710 (1565)	675 (1488)	
Base Curb Weight kg (lbs.)	2725.00 (6007.6)	2765.01 (6095.8)	2765.01 (6095.8)	2805.02 (6184.0)	
Fuel Capacity litres (gal.)	122 (32)	122 (32)	122 (32)	122 (32)	
Fuel Consumption - City/Highway/Combined L /100km	12.7/10.5/11.7	12.7/10.5/11.7	12.7/10.5/11.7	12.7/10.5/11.7	
Fuel Consumption – City/Highway/Combined mpg	22/27/24	22/27/24	22/27/24	22/27/24	
Horsepower (kW)	437 (325)	437 (325)	437 (325)	437 (325)	
Approach Angle (Degrees)	21	21	21	21	
Departure Angle (Degrees)	24	24	24	24	
Cargo Bed Length	1677 (66.0)	1982 (78.0)	1677 (66.0)	1677 (66.0)	

POWERTRAIN & MECHANICAL

•	•	•	•
•	•	•	•
•	•	•	•
•	•	•	•
-	-	•	•
•	•	•	•
•	•	•	•
•	•	•	•
-	-	•	•
•	•	•	•
•	•	•	•
•	•	•	•
	•		

INTERIOR

INTERIOR	MIRRORS
-----------------	----------------

Electrochromic Rear View Mirror w/Homelink (EC)	•	•	-	-
Digital Display Rear View Mirror with Homelink	-	-	•	•

FLOORING









STANDARD SPECIFICATIONS	Consultant limited	Communication	Carry Mary Distinguis	Court Mary Court have
Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
All Season Floor Mats	•	•	•	•
STEERING WHEEL				
Tilt & Telescopic Steering Wheel	•	•	-	-
Heated Leather Wrapped Steering Wheel	•	•	•	•
Power Tilt & Telescopic Steering Wheel	-	-	•	•
WINDOWS				
ront Windshield Acoustic Glass	•	•	•	•
Electric Rear Window Defroster	•	•	•	•
lear Side Window Privacy Glass	•	•	•	•
ower Windows with Driver Side Auto Down	•	•	•	•
Power Vertical Sliding Rear Window	•	•	•	•
ront Side Laminated Glass	-	_	-	•
CLIMATE CONTROL				
tear Seat Heater Ducts	•	•	•	•
Oual Zone Automatic Climate Control	•	•	•	•
NSTRUMENTATION				
Dil Pressure Gauge	•	•	•	•
oltmeter	•	•	•	•
ull TFT LCD Gauge Cluster	•	•	•	•
lead-Up Display	-	-	•	•
NTERIOR LIGHTING				
luminated Entry	•	•	•	•
Ambient Lighting	-	-	•	•
EATS				
leated Front Seats	•	•	•	•
-way Power Adjustable Driver and Passenger eats	•	•	-	-
-way Power Adjustable Driver and Passenger umbar Support	•	•	-	-
entilated Front Seats	•	•	•	•
Priver Seat Memory System	•	•	•	•
ofTex Seats	•	•	-	-
Heated Rear Seats	-	-	•	•
eather Seats	-	-	•	-
0-way Power Adjustable Driver Seat, 8-way Power Adjustable Passenger Seat			•	•
-way Power Adjustable Driver and Passenger umbar Support	=	-	•	•





1000
(4)
TOYOTA

STANDARD SPECIFICATIONS	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Standard — Not Available	Crew lax Ellinea	Grew lax Ellilled E	Crew lax radiiani	Crew lax capstolle
Semi-Aniline Leather Seats	=	=	=	•
TRIM				
Leather Wrapped Shift Knob	•	•	•	•
Backlit "CAPSTONE" passenger-side instrument panel badge	-	-	-	•
EXTERIOR				
TIRES				
P265/70R18	^	<u></u>	=	=
	•	•	•	==
P265/60R20 P265/50R22				•
F203/3UR22				•
WIPERS				
Variable Intermittent Wipers	•	•	-	=
Windshield Wiper De-Icer	•	•	•	•
Rain Sensing Wipers	-	-	•	•
EXTERIOR MIRRORS				
Power Adjustable Heated Exterior Mirrors	•	•	•	•
Power Folding Mirrors	•	•	-	-
Memory Mirrors	•	•	•	•
Electrochromic Driver's Side View Mirror	•	•	•	•
Power Extendable/Folding Towing Mirrors	-	-	•	•
EXTERIOR LIGHTING				
Bi-Beam LED Headlamps	•	•	-	=
LED Daytime Running Lights	•	•	•	•
LED Fog Lamps	•	•	•	•
Auto Leveling Headlamp System	<u> </u>	-	•	•
Premium Triple-Beam LED Headlamps	=	-	•	•
Sequential LED Tail Lamps	-	-	•	•
EXTERIOR				
Black Mud Guards	•	•	•	•
Active Grille Shutters	•	•	•	•
Active Front Spoiler	•	•	•	•
Panoramic Moonroof	•	•	•	•
Hood Badge	•	•	•	•
Tailgate Release Bump Switch	•	•	•	•
Large Fuel Tank (122L)	•	•	•	•
'Technical Camouflage' exterior accents	↑	-	•	•
Power Running Boards and Bed Step	-	-	↑	•









Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
WHEELS				
20" Alloy Wheels	•	•	•	-
22" Aluminum Alloy Wheels		==	==	•
MECHANICAL FEATURES				
Part-Time 4WD	•	•	•	•
Hill-start Assist Control (HAC)	•	•	•	•
Trailer Brake Controller	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	•	•	•	•

OPTIONAL FEATURES

OPTIONAL FEATURES				
TRD Front Grille	\uparrow	\uparrow	-	-
DAC (Downhill Assist Control)	\uparrow	\uparrow	-	-
Crawl Control (CRAWL)	↑	↑	-	-
Multi-Terrain Select	↑	↑	-	-
Locking Rear Differential	↑	↑	-	-
TRD Off Road Shock Absorbers	↑	↑	-	-
18" Offroad Alloy Wheels	↑	↑	-	-
TRD Heated Steering Wheel	↑	^	=	=
Remove: Active Front Spoiler	↑	^	=	=
Multi Terrain View Monitor	↑	^	=	=
Xply™ Armor high-strength engine, fuel tank and transfer case undercovers	↑	↑	-	-
'TRD PRO' stamped tailgate	↑		=	=
Remove: Active Grille Shutters	↑	=	=	=
TRD Pro Hood Badge	↑		=	=
Smoked Headlamps/Foglamps	↑		-	-
TRD Pro Front Stabilizer Bar	↑		-	-
TRD Pro Off-road Suspension with 1.1-in. front lift (2.5-in. FOX* Internal Bypass coil-overs and rear remote-reservoir shocks)	\uparrow	_	-	-
'TOYOTA' passenger-side dash panel badging	↑	=	-	-
P285/65R18	↑	=	-	-
18" TRD Pro Black Forged BBS® Wheels	↑	=	-	-
TRD Pro Logo / technical camo pattern inserts on front seats	\uparrow	-	_	-
Exterior Amber Marker Lights	↑	-	-	-
TRD Pro Heritage TOYOTA' Grille w/ LED light bar	↑	-	-	-
Black Dual Exhaust w/ TRD logo	↑	=	-	-
TRD Skid Plate	↑	=	-	-

PRODUCT SUMMARY

2023 Tundra CrewMax Cab Hybrid





TOYOTA

STANDARD SPECIFICATIONS

Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
20" Machine-finished alloy wheels	-	-	\uparrow	-
Real Walnut Wood Trim	-	-	\uparrow	-
Chrome grille and exterior accents	-	-	\uparrow	-
Drive Mode Select (5 modes)	-	-	\uparrow	=
Adaptive Variable Suspension (AVS)	-	-	\uparrow	-
Load-leveling Rear Height Control Air Suspension	-	-	↑	-

PRODUCT SUMMARY

2023 Tundra CrewMax Cab Hybrid







IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- * Payload Capacity is the calculation of GVWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apply. Service may vary by which ead region. See usage or executions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle without passengers or cargo. Installation of a tow hitch receiver or other accessories located near the rear bumper may require disabling or removing the kick sensor, and the sensor operation setting in your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safety. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota cais updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details