



Competitive Comparison

#### MODELS



PACKAGE SR

# Double Cab SR 4X2 Long Bed

PACKAGE SR



PACKAGE

SR

L₃ SR5

L→ TRD Off Road

 $oldsymbol{\mathsf{L}}_{oldsymbol{\mathsf{J}}}$  TRD Off Road with Tow Mirrors



PACKAGE SR5

#### **AVAILABLE EXTERIOR COLOURS**

White

Supersonic Red

Magnetic Grey Metallic

Lunar Rock

Midnight Black Metallic

Blueprint

#### **AVAILABLE INTERIOR COLOURS**

Black Cloth

Black SofTex











Competitive Comparison

#### **OPTIONAL PACKAGES**

#### **TUNDRA DOUBLE CAB SR**

#### SR5

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- 8-way Power Adjustable Driver and Passenger Seats
- Fuel Capacity litres (gal.): 121 (32)
- · Front Windshield Acoustic Glass
- Trailer Brake Controller
- · Active Front Spoiler
- LED Fog Lamps

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Towing Capacity kg (lbs.)†: 5080 (11199)
- · Heated Leather Wrapped Steering Wheel
- Horsepower (kW): 389 (290)
- · Active Grille Shutters
- · Heated Front Seats
- 265/70R18

- Fuel Consumption City/Highway/Combined mpg: 21/27/23
- Drive Mode Select (Sport, Eco and Normal Modes)
- Dual Zone Automatic Climate Control
- Leather Wrapped Shift Knob
- 18" Alloy Wheels
- · Wheel Lock Set

#### TRD OFF ROAD

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- · Blind Spot Monitoring with RCTA
- 18" Off Road Alloy Wheels
- Horsepower (kW): 389 (290)
- · Trailer Brake Controller
- · Multi-Terrain Select
- · Wheel Lock Set

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Towing Capacity kg (lbs.)†: 5080 (11199)
- Fuel Capacity litres (gal.): 121 (32)
- Front Windshield Acoustic Glass
- DAC (Downhill Assist Control)
- TRD Heated Steering Wheel
- · Active Grille Shutters
- · Heated Front Seats
- LED Fog Lamps

- Fuel Consumption City/Highway/Combined mpg: 21/27/23
- Drive Mode Select (Sport, Eco and Normal Modes)
- Dual Zone Automatic Climate Control
- TRD Leather Wrapped Shift Knob
- TRD Off Road Shock Absorbers
- · Locking Rear Differential
- Crawl Control (CRAWL)
- TRD Front Grille
- 265/70R18

#### TRD OFF ROAD WITH TOW MIRRORS

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- 8-way Power Adjustable Driver and Passenger Seats
- Intuitive Parking Assist with Auto Braking
- Dual Zone Automatic Climate Control
- TRD Leather Wrapped Shift Knob
- TRD Off Road Shock Absorbers
- Locking Rear Differential
- Crawl Control (CRAWL)
- TRD Front Grille
- 265/70R18

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Towing Capacity kg (lbs.)†: 5080 (11199)
- Power Extendable/Folding Towing Mirrors
- Blind Spot Monitoring with RCTA
- 18" Off Road Alloy Wheels
- Horsepower (kW): 389 (290)
- · Trailer Brake Controller
- · Multi-Terrain Select
- Wheel Lock Set

- Fuel Consumption City/Highway/Combined mpg: 21/27/23
- Drive Mode Select (Sport, Eco and Normal Modes)
- Fuel Capacity litres (gal.): 121 (32)
- Front Windshield Acoustic Glass
- DAC (Downhill Assist Control)
- TRD Heated Steering Wheel
- Active Grille Shutters
- · Heated Front Seats
- LED Fog Lamps





Competitive Comparison



#### STANDARD SPECIFICATIONS

Standard — Not Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L
--------------------------	-------------------------------	----------------------------	---------------	------------------

SAFETY & CONV	VENIENCE
---------------	----------

TOY	OTA	SAFET	Y SENS	E 2.5

TOYOTA SAFETY SENSE 2.5				
Automatic High Beam (AHB)	•	•	•	•
Pre-Collision System (PCS)	•	•	•	•
Sway Warning System	•	•	•	•
Right/Left Turn Oncoming Pedestrian Detection Braking	•	•	•	•
ane Tracing Assist	•	•	•	•
eft Turn Oncoming Vehicle Detection/Braking	•	•	•	•
ane Departure Alert with Steering Assist	•	•	•	•
Dynamic Radar Cruise Control (DRCC)	•	•	•	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	-	=
SAFETY				
Front Seat Side Airbags	•	•	•	•
Oriver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•
Oriver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•
Backup Camera with Back Guide Monitor	•	•	•	•
ntuitive Parking Assist with Auto Braking	-	=	$\uparrow$	=
Blind Spot Monitoring with RCTA	-	=	<b>↑</b>	=
CONVENIENCE				
Smart Key w/Push Button Start	•	•	-	=
2Volt Accessory Power Outlet	•	•	•	•
Power Door Locks	•	•	•	•
Smart Key w/Push Button Start + Tailgate	-	-	•	•
SECURITY				
Anti-Theft Alarm System	•	•	•	•
STAR SAFETY SYSTEM				

Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•

Star Safety System: Vehicle Stability Control (VSC)

Star Safety System: Traction Control (TRAC)





Competitive Comparison

## TOYOTA

STANDARD	SPECIFICATIONS	

Standard — Not Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L
Star Safety System: Brake Assist (BA)	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•
WARNING				
Tire Pressure Monitoring System with Auto Location	•	•	•	•

#### **INFOTAINMENT**

#### AUDIO

AUDIO				
USB Input/Charging Port	•	•	•	•
TOYOTA MULTIMEDIA				
Wireless Apple CarPlay Compatibility	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•
HD Radio	•	•	•	•
Toyota Assistant	•	•	•	•
Bluetooth Capability	•	•	•	•
SiriusXM Audio	•	•	•	•
8" Toyota Multimedia w/ Service/Safety Connect (up to 10yr trial), Remote Con.(3yr trial), Drive Con. capable (Sub. Required)	•	•	•	•
6 Speakers	•	•	•	•

#### **DIMENSIONS**

#### DIMENSIONS

Length mm (in.)	5932 (233.5)	6412 (252.4)	5932 (233.5)	6412 (252.4)
Width mm (in.)	2030 (79.9)	2030 (79.9)	2030 (79.9)	2030 (79.9)
Height mm (in.)	1926 (75.8)	1926 (75.8)	1982 (78.0)	1982 (78.0)
Wheelbase mm (in.)	3699 (145.6)	4179 (164.5)	3699 (145.6)	4179 (164.5)
Seating Capacity	5	5	5	5
Ground Clearance mm (in.)	264 (10.4)	262 (10.3)	279 (11.0)	274 (10.8)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	846 (33.3)	846 (33.3)	846 (33.3)	846 (33.3)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1611 (63.4)	1611 (63.4)	1585 (62.4)	1585 (62.4)
Gross Vehicle Weight kg (lbs.)	3191.03 (7035.0)	3249.99 (7165.0)	3295.35 (7265.0)	3345.25 (7375.0)
Towing Capacity kg (lbs.)†	3760 (8289)	3760 (8289)	3760 (8289)	5030 (11089)
Payload (GVWR-curb weight) kg (lbs.)*	880 (1940)	850 (1874)	855 (1885)	820 (1808)
Base Curb Weight kg (lbs.)	2310.01 (5092.7)	2400.01 (5291.1)	2440.01 (5379.3)	2525.02 (5566.7)
Fuel Capacity litres (gal.)	83 (22)	83 (22)	83 (22)	121 (32)





Competitive Comparison

<b>®</b>
TOYOTA

STANDARD SPECIFICATIONS  Standard — Not Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L
Fuel Consumption - City/Highway/Combined L	13.3/10.5/12.0	13.3/10.5/12.0	13.7/10.8/12.4	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined	21/27/24	21/27/24	21/26/23	21/27/23
Horsepower (kW)	358	358	358	389 (290)
Approach Angle (Degrees)	23	23	21	21
Departure Angle (Degrees)	22	22	24	24
Cargo Bed Length	=	==	1982 (78.0)	2469 (97.2)
POWERTRAIN & MECHANIC	AL			
BRAKES				
Electric Parking Brake (EPB)	•	•	•	•
ENGINE				
Intercooled	•	•	•	•
Stop and Start Engine System (S&S)	•	•	•	•
3.4 Litre Twin Turbo V6	•	•	•	•
SUSPENSION				
Rear Coil Springs	•	•	•	•
Independent Front Suspension	•	•	•	•
TRANSMISSION				
10-speed Direct Shift Automatic Transmission	•	•	•	•
TRUCK BED				
Header rail	•	•	•	•
Side Rail with Four Adjustable Tie Down Cleats	=	=	•	•
MECHANICAL FEATURES				
Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	-	=	-	•
INTERIOR				
FLOORING				
Carpet Floor Mats	•	•	•	•
All Season Floor Mats	•	•	•	•
CLIMATE CONTROL				
Rear Passenger Vents	•	•	•	•
Single Zone Automatic Climate Control	•	•	•	-
Dual Zone Automatic Climate Control	=	-	<u> </u>	•

INSTRUMENTATION





100
<b>(4)</b>
TOYOTA
TOYOTA

Standard — Not Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L
Oil Pressure Gauge	•	•	•	•
Voltmeter	•	•	•	•
4.2-in. colour TFT Multi Information Display	•	•	•	•
INTERIOR LIGHTING				
Illuminated Entry	•	•	•	•
STEERING WHEEL				
Tilt & Telescopic Steering Wheel	•	•	•	•
Heated Leather Wrapped Steering Wheel	-	-	$\uparrow$	•
WINDOWS				
Black Window Frame	•	•	-	-
Rear Side Window Privacy Glass	•	•	•	•
Electric Rear Window Defroster	•	•	•	•
Power Sliding Rear Window	•	•	•	•
Front Windshield Acoustic Glass	•	•	<b>↑</b>	•
Power Windows with Driver Side Auto Up / Down	==	==	•	•
Day and Night Mechanical Rear View Mirror  SEATS	•	•	•	•
Fabric Seats	•	•	•	-
Heated Front Seats	=	=	<b>↑</b>	•
8-way Power Adjustable Driver and Passenger Seats	-	=	<b>↑</b>	•
2-way Power Adjustable Driver and Passenger Lumbar Support	-	=	<b>↑</b>	•
SofTex Seats	-	-	-	•
TRIM				
Silver Inside Door Handle	-	-	•	•
Leather Wrapped Shift Knob	=	=	<b>↑</b>	•
EXTERIOR EXTERIOR				
Trailer Ball	•	•	•	•
Hitch Plug	•	•	•	•
Ball Mount	•	•	•	•
Black Mud Guards	•	•	•	•
Active Grille Shutters	=	=	<b>↑</b>	•





Competitive Comparison

## TOYOTA

Standard — Not Available	ouble Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L
TIRES				
Full Size Spare Tire	•	•	•	•
P245/75R18	•	•	•	-
265/70R18	-	==	<b>↑</b>	•
EXTERIOR LIGHTING				
Headlamps with Manual Level Control	•	•	•	•
Bi-Beam LED Headlamps	•	•	•	•
LED Daytime Running Lights	-	-	•	•
LED Fog Lamps	-	=	<b>↑</b>	•
WIPERS				
Variable Intermittent Wipers	•	•	•	•
Windshield Wiper Deicer	•	•	•	•
WHEELS				
18" Styled Steel Wheels	•	•	•	_
18" Alloy Wheels	=	=	<b>↑</b>	•
Wheel Lock Set	-	-	<b>↑</b>	•
EXTERIOR MIRRORS				
Power Adjustable Heated Exterior Mirrors	•	•	•	•
MECHANICAL FEATURES				
Hill-start Assist Control (HAC)	-	-	•	•
Part-Time 4WD	-	-	•	•
Trailer Brake Controller	-	-	<b>↑</b>	•
Drive Mode Select (Sport, Eco and Normal Modes)	-	-	<b>↑</b>	-

#### **OPTIONAL FEATURES**

#### **OPTIONAL FEATURES**

TRD Front Grille	-	-	$\uparrow$	-
Locking Rear Differential	-	-	Λ	-
TRD Off Road Shock Absorbers	-	=	$\uparrow$	-
DAC (Downhill Assist Control)	-	-	$\uparrow$	-
Multi-Terrain Select	-	-	$\uparrow$	-
Crawl Control (CRAWL)	-	-	Λ	=
18" Off Road Alloy Wheels	-	-	$\uparrow$	-
TRD Leather Wrapped Shift Knob	-	-	Λ	=
TRD Heated Steering Wheel	-	=	$\uparrow$	=
Power Extendable/Folding Towing Mirrors	-	=	<b>↑</b>	=





**Competitive Comparison** 



#### IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- \* Payload Capacity is the calculation of GWWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- \*\* Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

#### Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apoly. Service may vary by weblice and region. See usage or precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weight is to weigh your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safety. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details





Competitive Comparison

## тоуота

#### **MODELS**



PACKAGE

SR

L SR5

L₃ TRD Off Road

L₃ TRD Rally Package

# CrewMax SR5 L

PACKAGE

SR5

TRD Off Road

igspace TRD Off Road with Tow Mirrors



PACKAGE

Limited Nightshade

Limited TRD Off Road

# CrewMax Limited L

PACKAGE

Limited Nightshade

Limited TRD Off Road



PACKAGE

Platinum

la Platinum with Tow Mirrors

L**,** 1794

L 1794 with Tow Mirrors



PACKAGE

Platinum

L→ Platinum with Tow Mirrors

L 1794

L 1794 with Tow Mirrors

#### **AVAILABLE EXTERIOR COLOURS**

White

Celestial Silver Metallic

Smoked Mesquite

Blueprint



Midnight Black Metallic

Terra

Magnetic Grey Metallic

Supersonic Red

Lunar Rock

#### **AVAILABLE INTERIOR COLOURS**

Black Cloth

Black Leather

Black SofTex

Saddle Tan Leather

Grey SofTex











Competitive Comparison

#### **OPTIONAL PACKAGES**

#### **TUNDRA CREWMAX SR**

#### SR5

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- 8-way Power Adjustable Driver and Passenger Seats
- Fuel Capacity litres (gal.): 121 (32)
- · Front Windshield Acoustic Glass
- Trailer Brake Controller
- · Active Front Spoiler
- · LED Fog Lamps

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Towing Capacity kg (lbs.)†: 5060 (11155)
- · Heated Leather Wrapped Steering Wheel
- Horsepower (kW): 389 (290)
- · Active Grille Shutters
- · Heated Front Seats
- · 265/70R18

- Fuel Consumption City/Highway/Combined mpg: 21/27/23
- Drive Mode Select (Sport, Eco and Normal Modes)
- Dual Zone Automatic Climate Control
- Leather Wrapped Shift Knob
- 18" Alloy Wheels
- · Wheel Lock Set

#### TRD OFF ROAD

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- · Blind Spot Monitoring with RCTA
- 18" Off Road Alloy Wheels
- Horsepower (kW): 389 (290)
- · Locking Rear Differential
- · Multi-Terrain Select
- · Wheel Lock Set

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Towing Capacity kg (lbs.)†: 5060 (11155)
- · Fuel Capacity litres (gal.): 121 (32)
- Front Windshield Acoustic Glass
- DAC (Downhill Assist Control)
- Leather Wrapped Shift Knob
- Trailer Brake ControllerHeated Front Seats
- LED Fog Lamps

- Fuel Consumption City/Highway/Combined mpg: 21/27/23
- Drive Mode Select (Sport, Eco and Normal Modes)
- Dual Zone Automatic Climate Control
- TRD Leather Wrapped Shift Knob
- TRD Off Road Shock Absorbers
- TRD Heated Steering Wheel
   Active Grille Shutters
- TRD Front Grille
- 265/70R18

#### TRD RALLY PACKAGE

- 14" Toyota Multimedia w/ Service/Safety Connect (up to 10yr trial), Remote Con.(3yr trial), Drive Con. capable (Sub. Required)
- 8-way Power Adjustable Driver and Passenger Seats
- Remove: "4x4" Tailgate Badge
- · Dual Zone Automatic Climate Control
- · Heritage Tri-colour (X4) Graphics
- Black Dual Exhaust w/ TRD logo
- DAC (Downhill Assist Control)
- Leather Wrapped Shift Knob
- Trailer Brake Controller
- Multi-Terrain Select
- 265/70R18

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Towing Capacity kg (lbs.)†: 5060 (11155)
- Fuel Capacity litres (gal.): 121 (32)
- Yellow & Orange Seat Stitching
- Blind Spot Monitoring with RCTA
- TRD Leather Wrapped Shift Knob
- · Yellow Console Box Stitching
- · TRD Heated Steering Wheel
- · Multi-Terrain Monitor
- · Wheel Lock Set

- Fuel Consumption City/Highway/Combined mpg: 21/27/23
- Intuitive Parking Assist with Auto Braking
- Remove: "Tundra" Door Badge
- Remove: "SR5" Door Badge
- Front Windshield Acoustic Glass
- 18" Off Road Alloy Wheels
- Horsepower (kW): 389 (290)
- · Locking Rear Differential
- · Yellow Door Stitching
- LED Fog Lamps







**Competitive Comparison** 



#### **TUNDRA CREWMAX SR5 L**

#### TRD OFF ROAD

- · Intuitive Parking Assist with Auto Braking
- 18" Off Road Alloy Wheels
- TRD Off Road Shock Absorbers
- Crawl Control (CRAWL)

- · Blind Spot Monitoring with RCTA
- DAC (Downhill Assist Control)
- TRD Heated Steering Wheel
- Multi-Terrain Select

- TRD Leather Wrapped Shift Knob
- · Remove: Active Front Spoiler
- · Locking Rear Differential
- TRD Front Grille

#### TRD OFF ROAD WITH TOW MIRRORS

- · Intuitive Parking Assist with Auto Braking
- TRD Leather Wrapped Shift Knob
- Remove: Active Front Spoiler
- · Locking Rear Differential
- TRD Front Grille

- Power Extendable/Folding Towing Mirrors
- 18" Off Road Alloy Wheels
- TRD Off Road Shock Absorbers
- · Crawl Control (CRAWL)

- · Blind Spot Monitoring with RCTA
- DAC (Downhill Assist Control)
- TRD Heated Steering Wheel
- · Multi-Terrain Select

#### **TUNDRA CREWMAX LIMITED**

#### LIMITED TRD OFF ROAD

- 20" TRD Off-road Matte Black Alloy Wheels
- TRD Off Road Shock Absorbers
- · Multi-Terrain Monitor
- TRD Front Grille

- DAC (Downhill Assist Control)
- · TRD Heated Steering Wheel
- Crawl Control (CRAWL)

- · Remove: Active Front Spoiler
- · Locking Rear Differential
- · Multi-Terrain Select

#### **TUNDRA CREWMAX LIMITED L**

#### LIMITED TRD OFF ROAD

- 20" TRD Off-road Matte Black Alloy Wheels
- TRD Off Road Shock Absorbers
- Multi-Terrain Monitor
- TRD Front Grille

- DAC (Downhill Assist Control)
- TRD Heated Steering Wheel
- Crawl Control (CRAWL)

- · Remove: Active Front Spoiler
- · Locking Rear Differential
- Multi-Terrain Select

#### **TUNDRA CREWMAX PLATINUM**

#### 1794

• 20" Machine-finished Alloy Wheels

• Chrome grille and exterior accents

#### **PLATINUM WITH TOW MIRRORS**

• Power Extendable/Folding Towing Mirrors

#### 1794 WITH TOW MIRRORS

• Power Extendable/Folding Towing Mirrors

• 20" Machine-finished Alloy Wheels

· Chrome grille and exterior accents

#### **TUNDRA CREWMAX PLATINUM L**

#### 1794

• 20" Machine-finished Alloy Wheels

· Chrome grille and exterior accents

#### PLATINUM WITH TOW MIRRORS

• Power Extendable/Folding Towing Mirrors







Competitive Comparison



#### 1794 WITH TOW MIRRORS

- Power Extendable/Folding Towing Mirrors
- 20" Machine-finished Alloy Wheels
- Chrome grille and exterior accents







STANDARD SPECIFICATIONS  ■ Standard — Not Available ↑ Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
- Canada Carring						
SAFETY & CONVENIENCE						
TOYOTA SAFETY SENSE 2.5						
Automatic High Beam (AHB)	•	•	•	•	•	•
Pre-Collision System (PCS)	•	•	•	•	•	•
Sway Warning System	•	•	•	•	•	•
Right/Left Turn Oncoming Pedestrian Detection/Braking	•	•	•	•	•	•
Lane Tracing Assist	•	•	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	•	•	•	•	•	•
Lane Departure Alert with Steering Assist	•	•	•	•	•	•
Dynamic Radar Cruise Control (DRCC)	•	•	•	•	•	•
SAFETY						
Front Seat Side Airbags	•	•	•	•	•	•
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•	•	•
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•	•	•
Backup Camera with Back Guide Monitor	•	•	•	•	-	-
Intuitive Parking Assist with Auto Braking	<b>↑</b>	<b>↑</b>	•	•	•	•
Blind Spot Monitoring with RCTA	<b>↑</b>	<b>↑</b>	•	•	•	•
Panoramic View Monitor	-	-	-	-	•	•
CONVENIENCE						
12Volt Accessory Power Outlet	•	•	•	•	•	•
Power Door Locks	•	•	•	•	•	•
Smart Key w/Push Button Start + Tailgate	•	•	•	•	•	•
Wireless Charger	-	-	•	•	•	•
Frailer Backup Guide w/ Straight Path Assist	-	=	=	-	•	•
SECURITY						
Anti-Theft Alarm System	•	•	•	•	•	•
STAR SAFETY SYSTEM						
Star Safety System: Vehicle Stability Control (VSC)	•	•	•	•	•	•
Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•	•	•
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•	•	•
Star Safety System: Traction Control (TRAC)	•	•	•	•	•	•
Star Safety System: Brake Assist (BA)	•	•	•	•	•	•





Competitive Comparison

100
A
TOYOTA
100000000000000000000000000000000000000

STANDARD SPECIFICATIONS  ■ Standard — Not Available ↑ Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Star Safety System: Smart Stop Technology (SST)	•	•	•	•	•	•
WARNING						
Tire Pressure Monitoring System with Auto Location	•	•	•	•	•	•
INFOTAINMENT						
AUDIO						
USB Input/Charging Port	•	•	•	•	•	•
TOYOTA MULTIMEDIA						

Wireless Apple CarPlay Compatibility	•	•	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•	•	•
HD Radio	•	•	•	•	•	•
Toyota Assistant	•	•	•	•	•	•
Bluetooth Capability	•	•	•	•	•	•
SiriusXM Audio	•	•	•	•	•	•
8" Toyota Multimedia w/ Service/Safety Connect (up to 10yr trial), Remote Con.(3yr trial), Drive Con. capable (Sub. Required)	•	•	-	-	-	-
9 Speakers	•	•	•	•	-	-
14" Toyota Multimedia w/ Service/Safety Connect (up to 10yr trial), Remote/Drive Connect (3yr trial)	-	-	•	•	•	•

#### **DIMENSIONS**

12 Speaker JBL Audio System

#### DIMENSIONS

DIMENSIONS						
Length mm (in.)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)
Width mm (in.)	2032 (80.0)	2032 (80.0)	2030 (79.9)	2032 (80.0)	2032 (80.0)	2032 (80.0)
Height mm (in.)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)
Wheelbase mm (in.)	3701 (145.7)	4006 (157.7)	3699 (145.6)	4006 (157.7)	3701 (145.7)	4006 (157.7)
Seating Capacity	5	5	5	5	5	5
Ground Clearance mm (in.)	279 (11.0)	277 (10.9)	279 (11.0)	277 (10.9)	277 (10.9)	274 (10.8)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)
Gross Vehicle Weight kg (lbs.)	3270.40 (7210.0)	3329.37 (7340.0)	3280.02 (7231.2)	3340.71 (7365.0)	3304.42 (7285.0)	3345.25 (7375.0)
Towing Capacity kg (lbs.)†	3760 (8289)	4990 (11001)	5045 (11122)	4975 (10968)	5010 (11045)	4935 (10880)
Payload (GVWR-curb weight) kg (lbs.)*	825 (1819)	780 (1720)	790 (1742)	745 (1642)	755 (1664)	715 (1576)
Base Curb Weight kg (lbs.)	2445.00 (5390.3)	2550.01 (5621.8)	2490.00 (5489.5)	2595.01 (5721.0)	2550.01 (5621.8)	2630.02 (5798.2)
Fuel Capacity litres (gal.)	83 (22)	121 (32)	121 (32)	121 (32)	121 (32)	121 (32)





Competitive Comparison

STANDARD	<b>SPECIFICATIONS</b>

Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Fuel Consumption - City/Highway/Combined L/100km	13.7/10.8/12.4	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined mpg	21/26/23	21/27/23	21/27/23	21/27/23	21/27/23	21/27/23
Horsepower (kW)	358	389 (290)	389 (290)	389 (290)	389 (290)	389 (290)
Approach Angle (Degrees)	21	21	21	21	21	21
Departure Angle (Degrees)	24	24	24	24	24	24
Cargo Bed Length	1677 (66.0)	1982 (78.0)	1677 (66.0)	1982 (78.0)	1677 (66.0)	1982 (78.0)

#### **POWERTRAIN & MECHANICAL**

#### **BRAKES**

Electric Parking Brake (EPB)

ENGINE							
Intercooled	•	•	•	•	•	•	
Stop and Start Engine System (S&S)	•	•	•	•	•	•	
3.4 Litre Twin Turbo V6	•	•	•	•	•	•	
Active Noise Control	-	-	-	-	•	•	

#### SUSPENSION

Rear Coil Springs	•	•	•	•	•	•
Independent Front Suspension	•	•	•	•	•	•

#### TRANSMISSION

10-speed Direct Shift Automatic Transmission	•	•	•	•	•	•

#### TRUCK BED

Header rail	•	•	•	•	•	•
Side Rail with Four Adjustable Tie Down Cleats	•	•	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet	-	-	•	•	•	•

#### **MECHANICAL FEATURES**

Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	-	•	•	•	•	•
Trailer Backun Guide w/ Straight Path Assist	_	-	_	=	•	•

#### **INTERIOR**

#### FLOORING

Carpet Floor Mats	•	•	•	•	•	•
All Season Floor Mats	•	•	•	•	•	•

#### CLIMATE CONTROL

Rear Passenger Vents	•	•	•	•	•	•
Single Zone Automatic Climate Control	•	-	-	-	-	-
Dual Zone Automatic Climate Control	<b>^</b>	•	•	•	•	•





<b>(4)</b>
$\mathbf{w}$
TOYOTA

CTANDARD CRECIEICATIONS			_			
STANDARD SPECIFICATIONS  ■ Standard — Not Available ↑ Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum l
Standard Not Available 1 Available						
INSTRUMENTATION						
Oil Pressure Gauge	•	•	•	•	•	•
Voltmeter	•	•	•	•	•	•
4.2-in. colour TFT Multi Information Display	•	•	-	-	-	-
12.3" Digital Gauge Cluster	-	-	•	•	•	•
Head-Up Display	-	-	-	-	•	•
INTERIOR LIGHTING						
lluminated Entry	•	•	•	•	•	•
Ambient Lighting	-	-	-	-	•	•
STEERING WHEEL						
Filt & Telescopic Steering Wheel	•	•	•	•	=	-
Heated Leather Wrapped Steering Wheel	<b>↑</b>	•	•	•	•	•
Power Tilt & Telescopic Steering Wheel	-	-	=	=	•	•
WINDOWS						
Rear Side Window Privacy Glass	•	•	•	•	•	•
- Electric Rear Window Defroster	•	•	•	•	•	•
Front Windshield Acoustic Glass	<b>↑</b>	•	•	•	•	•
Power Windows with Driver Side Auto Up / Down	•	•	•	•	•	•
Power Vertical Sliding Rear Window	•	•	•	•	•	•
INTERIOR MIRRORS						
Day and Night Mechanical Rear View Mirror	•	•	=	_	_	_
Auto-Dimming Rearview Mirror with Garage Door	<u> </u>					
Opener	-	-	•	•	-	-
Digital Display Rear View Mirror with Homelink (subject to availability**)	-	-	-	-	•	•
SEATS						
Fabric Seats	•	•	-	-	-	-
Heated Front Seats	<b>↑</b>	•	•	•	•	•
8-way Power Adjustable Driver and Passenger Seats	<b>↑</b>	•	•	•	-	-
2-way Power Adjustable Driver and Passenger Lumbar Support	<b>↑</b>	•	•	•	-	-
SofTex Seats	-	-	•	•	-	-
/entilated Front Seats	-	-	•	•	•	•
Driver Seat Memory System	-	=	•	•	•	•
Front Massage Seats (Driver & Passenger)	-	_	-	=	•	•
Heated Rear Seats	-	-	-	-	•	•
Leather Seats	-	-	-	-	•	•
4-way Power Adjustable Driver and Passenger Lumbar						





(42)
TOYOTA

STANDARD SPECIFICATIONS  ■ Standard — Not Available ↑ Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
10-way Power Adjustable Driver Seat, 8-way Power Adjustable Passenger Seat	-	=	-	-	•	•
Ventilated Rear Seats	-	-		-	•	•
TRIM						
Silver Inside Door Handle	•	•	•	•	•	•
Leather Wrapped Shift Knob	<b>↑</b>	•	•	•	•	•
EXTERIOR						
EXTERIOR	•	•	•	•	•	•
Trailer Ball	•	•	•	•	•	•
Hitch Plug	•		•	•	•	•
Ball Mount	•	•	•	•	•	•
Black Mud Guards			•	•	•	•
Active Grille Shutters	<u> </u>	•		•	•	•
Active Front Spoiler	-	•	•			
Semi Black 4x4 Badge and Name Badge						
Gloss Black Belt Moulding, Exterior Door Handle and Tailgate Handle	_	-	•	-	-	-
Body Colour Grille Surround	-	-	•	=	=	=
MIC Black Grille, Overfender, Rear Bumper	-	-	•	-	-	-
Power Tailgate & Bump Switch	-	-	•	•	•	•
Panoramic Moonroof	-	-	•	•	•	•
Emblem Cover	-	-	•	•	-	-
TIRES						
Full Size Spare Tire	•	•	•	•	•	•
P245/75R18	•	-	-	-	-	-
265/70R18	<b>↑</b>	•	-	=	=	=
265/60R20	-		•	•	•	•
EXTERIOR LIGHTING						
Headlamps with Manual Level Control	•	•	•	•	=	=
Bi-Beam LED Headlamps	•	•	•	•	=	=
LED Daytime Running Lights	•	•	•	•	•	•
LED Fog Lamps	<b>↑</b>	•	•	•	•	•
Auto Leveling Headlamp System	-	-	-	-	•	•
Premium Triple-Beam LED Headlamps	-	-	-	-	•	•
WIPERS						
Variable Intermittent Wipers	•	•	•	•	=	=
Windshield Wiper Deicer						
Willustrieta Wiper Deicer	•	•	•	•	•	•



STANDARD SPECIFICATIONS



Competitive Comparison

## TOYOTA

● Standard — Not Available ↑ Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
WHEELS						
18" Styled Steel Wheels	•	-	-	-	-	-
18" Alloy Wheels	<b>↑</b>	•	-	-	-	-
Wheel Lock Set	<b>↑</b>	•	•	•	•	•
20" Black Alloy Wheels	-	-	•	•	-	-
20" Dark-gray Painted Alloy Wheels	-	=	=	-	•	•
EXTERIOR MIRRORS						
Power Adjustable Heated Exterior Mirrors	•	•	•	•	•	•

Memory Mirrors	-	-	•	•	•	•
Electrochromic Driver's Side View Mirror	-	-	•	•	•	•
MECHANICAL FEATURES						

Hill-start Assist Control (HAC)	•	•	•	•	•	•
Part-Time 4WD	•	•	•	•	•	•
Trailer Brake Controller	<b>↑</b>	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	<b>↑</b>	-	-	-	-	-

#### **OPTIONAL FEATURES**

#### **OPTIONAL FEATURES**

Power Folding Mirrors

TRD Front Grille	<b>↑</b>	<b>↑</b>	<b>↑</b>	<b>↑</b>	-	-
Locking Rear Differential	<b>↑</b>	<b>↑</b>	<b>↑</b>	<b>↑</b>	-	=
TRD Off Road Shock Absorbers	<b>↑</b>	<b>↑</b>	<b>↑</b>	<b>↑</b>	-	=
DAC (Downhill Assist Control)	<b>↑</b>	<b>↑</b>	<b>↑</b>	<b>↑</b>	-	-
Multi-Terrain Select	<b>↑</b>	<b>↑</b>	<b>↑</b>	<b>↑</b>	-	=
Crawl Control (CRAWL)	-	<b>↑</b>	<b>↑</b>	<b>↑</b>	-	=
18" Off Road Alloy Wheels	<b>↑</b>	<b>↑</b>	=	-	-	-
TRD Leather Wrapped Shift Knob	<b>↑</b>	<b>↑</b>	=	-	-	=
TRD Heated Steering Wheel	<b>↑</b>	<b>↑</b>	<b>↑</b>	<b>↑</b>	-	-
Power Extendable/Folding Towing Mirrors	-	<b>↑</b>	-	-	<b>↑</b>	<b>↑</b>
Remove: "4x4" Tailgate Badge	<b>↑</b>	-	-	-	-	-
Remove: "SR5" Door Badge	<b>↑</b>	-	-	-	-	-
Remove: "Tundra" Door Badge	<b>↑</b>	-	-	-	-	-
Yellow Door Stitching	<b>↑</b>	-	-	-	-	-
Heritage Tri-colour (X4) Graphics	<b>↑</b>	-	-	-	-	-
Yellow Console Box Stitching	<b>↑</b>	-	-	-	-	-
14" Toyota Multimedia w/ Service/Safety Connect (up to 10yr trial), Remote Con.(3yr trial), Drive Con. capable (Sub. Required)	<b>↑</b>	-	-	-	=	-
Yellow & Orange Seat Stitching	<b>↑</b>	-	=	-	-	-
Black Dual Exhaust w/ TRD logo	<b>↑</b>	-	-	-	-	-





Competitive Comparison

#### STANDARD SPECIFICATIONS

● Standard — Not Available ↑ Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Multi-Terrain Monitor	<b>↑</b>	-	<b>↑</b>	<b>↑</b>	-	-
Remove: Active Front Spoiler	-	<b>↑</b>	Υ	<b>↑</b>	-	-
20" TRD Off-road Matte Black Alloy Wheels	-	-	Υ	<b>↑</b>	-	-
20" Machine-finished Alloy Wheels	-	-	-	-	<b>↑</b>	<b>↑</b>
Chrome grille and exterior accents	-	-	-	-	<b>↑</b>	<b>↑</b>







Competitive Comparison



#### IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- \* Payload Capacity is the calculation of GWWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- \*\* Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

#### Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apoly. Service may vary by weblice and region. See usage or precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weight is to weigh your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safety. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details





Competitive Comparison

## тоуота

#### MODELS



PACKAGE

Limited Nightshade

Limited TRD Off Road

Ly TRD Pro

# CrewMax Limited L

PACKAGE

Limited Nightshade

Limited TRD Off Road



PACKAGE

Platinum

L 1794

 $f L_{f y}$  Platinum with Advanced Package (with Tow Mirrors)

1794 with Advanced Package (with Tow Mirrors)

# CrewMax Capstone

PACKAGE

Capstone

L→ Capstone with Tow Mirrors

#### **AVAILABLE EXTERIOR COLOURS**

White

Celestial Silver Metallic

Smoked Mesquite

Lunar Rock

Wind Chill Pearl

Midnight Black Metallic

Terra

Blueprint

Magnetic Grey Metallic

Supersonic Red

Mudbath

#### **AVAILABLE INTERIOR COLOURS**

Black SofTex

Black Leather

Grey SofTex

Saddle Tan Leather

Cockpit Red SofTex

Black/White Semi-Aniline Leather











Competitive Comparison

#### **OPTIONAL PACKAGES**

#### **TUNDRA HYBRID CREWMAX LIMITED**

#### LIMITED TRD OFF ROAD

- 20" TRD Off-road Matte Black Alloy Wheels
- TRD Off Road Shock Absorbers
- · Multi-Terrain Monitor
- · TRD Front Grille

- · DAC (Downhill Assist Control)
- · TRD Heated Steering Wheel
- · Crawl Control (CRAWL)

- · Remove: Active Front Spoiler
- · Locking Rear Differential
- · Multi-Terrain Select

#### **TRD PRO**

- TRD Pro Off-road Suspension with 1.1-in. front lift (2.5-in. FOX® Internal Bypass coil-overs and rear remote-reservoir shocks)
- TRD Pro Heritage 'TOYOTA' Grille w/ LED light bar
- · 'TOYOTA' passenger-side Dash Panel Badging
- 'TRD PRO' stamped tailgate
- · Premium Triple-Beam LED Headlamps
- · DAC (Downhill Assist Control)
- · Exterior Amber Marker Lights
- · TRD Heated Steering Wheel
- · Smoked Headlamps/Foglamps
- · Multi-Terrain Select
- P285/65R18

- Xply™ Armor High-strength Engine, Fuel Tank and Transfer Case Undercovers
- TRD Pro Logo / technical camo pattern inserts on front seats
- 'Technical Camouflage' exterior accents
- Front Headroom mm (in.): 998 (39.3)
- · Black Dual Exhaust w/ TRD logo
- · Auto Leveling Headlamp System
- · TRD Pro Front Stabilizer Bar
- · Locking Rear Differential
- · Multi-Terrain Monitor
- · TRD Pro Hood Badge

- Fuel Consumption City/Highway/Combined L /100km: 12.9/11.6/12.3
- Fuel Consumption City/Highway/Combined mpg: 22/24/23
- 18" TRD Pro Black Forged BBS® Wheels
- Rear Headroom mm (in.): 937 (36.9)
- · Remove: Active Grille Shutters
- · Remove: Active Front Spoiler
- 12 Speaker JBL Audio System
- Sequential LED Tail Lamps
- Crawl Control (CRAWL)
- · TRD Skid Plate

#### **TUNDRA HYBRID CREWMAX LIMITED L**

#### LIMITED TRD OFF ROAD

- Xply<sup>™</sup> Armor High-strength Engine, Fuel Tank and Transfer Case Undercovers
- · Remove: Active Front Spoiler
- · Locking Rear Differential
- · Multi-Terrain Select

- 20" TRD Off-road Matte Black Alloy Wheels
- TRD Off Road Shock Absorbers
- Multi-Terrain Monitor
- · TRD Front Grille

- DAC (Downhill Assist Control)
- · TRD Heated Steering Wheel
- · Crawl Control (CRAWL)
- · 265/60R20

#### **TUNDRA HYBRID CREWMAX PLATINUM**

#### 1794

• 20" Machine-finished Alloy Wheels

#### PLATINUM WITH ADVANCED PACKAGE (WITH TOW MIRRORS)

- Load-leveling Rear Height Control Air Suspension
- Power Extendable/Folding Towing Mirrors
- Adaptive Variable Suspension (AVS)

### 1794 WITH ADVANCED PACKAGE (WITH TOW MIRRORS)

- Load-leveling Rear Height Control Air Suspension
- · Power Extendable/Folding Towing Mirrors
- · 20" Machine-finished Alloy Wheels

• Drive Mode Select (5 modes)

• Drive Mode Select (5 modes)

#### **TUNDRA HYBRID CREWMAX CAPSTONE**

#### **CAPSTONE WITH TOW MIRRORS**

• Power Extendable/Folding Towing Mirrors







STANDARD SPECIFICATIONS	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Standard — Not Available	Crew lax Elillica	Grewi lax Ellilled E	Crew lax radinali	Crew lax capstone
SAFETY & CONVENIENCE				
TOYOTA SAFETY SENSE 2.5				
Automatic High Beam (AHB)	•	•	•	•
Pre-Collision System (PCS)	•	•	•	•
Right/Left Turn Oncoming Pedestrian Detection /Braking	•	•	•	•
Lane Tracing Assist	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	•	•	•	•
Dynamic Radar Cruise Control (DRCC)	•	•	•	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•
SAFETY				
Front Seat Side Airbags	•	•	•	•
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•
Backup Camera with Back Guide Monitor	•	•	-	=
Intuitive Parking Assist with Auto Braking	•	•	•	•
Blind Spot Monitoring with RCTA	•	•	•	•
Panoramic View Monitor	-	=	•	•
CONVENIENCE				
12Volt Accessory Power Outlet	•	•	•	•
Power Door Locks	•	•	•	•
Smart Key w/Push Button Start + Tailgate	•	•	•	•
Wireless Charger	•	•	•	•
Power Fuel Lid Release	•	•	•	•
SECURITY				
Anti-Theft Alarm System	•	•	•	•
STAR SAFETY SYSTEM				
Star Safety System: Vehicle Stability Control (VSC)	•	•	•	•
Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•
Star Safety System: Traction Control (TRAC)	•	•	•	•



STANDARD SPECIFICATIONS



Competitive Comparison

Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Star Safety System: Brake Assist (BA)	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•
WARNING				
Tire Pressure Monitoring System with Auto	•	•	•	•

#### **INFOTAINMENT**

Location

AUDIO				
USB Input/Charging Port	•	•	•	•
TOYOTA MULTIMEDIA				
Wireless Apple CarPlay Compatibility	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•
HD Radio	•	•	•	•
Toyota Assistant	•	•	•	•
Bluetooth Capability	•	•	•	•
SiriusXM Audio	•	•	•	•
9 Speakers	•	•	-	=
14" Toyota Multimedia w/ Service/Safety Connect (up to 10yr trial), Remote/Drive Connect (3yr trial)	•	•	•	•
12 Speaker JBL Audio System	<b>↑</b>	-	•	•

#### **DIMENSIONS**

#### DIMENSIONS

DIMENSIONS				
Length mm (in.)	5932 (233.5)	6237 (245.5)	5932 (233.5)	5932 (233.5)
Width mm (in.)	2032 (80.0)	2032 (80.0)	2032 (80.0)	2032 (80.0)
Height mm (in.)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)
Wheelbase mm (in.)	3701 (145.7)	4006 (157.7)	3701 (145.7)	3701 (145.7)
Seating Capacity	5	5	5	5
Ground Clearance mm (in.)	282 (11.1)	279 (11.0)	279 (11.0)	277 (10.9)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	998 (39.3)	998 (39.3)
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	937 (36.9)	937 (36.9)
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)
Gross Vehicle Weight kg (lbs.)	3455.02 (7617.0)	3514.98 (7749.2)	3475.02 (7661.1)	3480.01 (7672.1)
Towing Capacity kg (lbs.)†	5067 (11171)	5005 (11034)	4995 (11012)	4690 (10340)
Payload (GVWR-curb weight) kg (lbs.)*	730 (1609)	750 (1653)	710 (1565)	675 (1488)
Base Curb Weight kg (lbs.)	2725.00 (6007.6)	2765.01 (6095.8)	2765.01 (6095.8)	2805.02 (6184.0)
Fuel Capacity litres (gal.)	121 (32)	121 (32)	121 (32)	121 (32)





Competitive Comparison

$\odot$
TOYOTA

STANDARD SPECIFICATIONS				
● Standard — Not Available ↑ Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
iuel Consumption - City/Highway/Combined L 100km	12.7/10.5/11.7	12.7/10.5/11.7	12.7/10.5/11.7	12.7/10.5/11.7
Fuel Consumption - City/Highway/Combined mpg	22/27/24	22/27/24	22/27/24	22/27/24
Horsepower (kW)	437	437	437	437
Approach Angle (Degrees)	21	21	21	21
Departure Angle (Degrees)	24	24	24	24
Cargo Bed Length	1677 (66.0)	1982 (78.0)	1677 (66.0)	1677 (66.0)
POWERTRAIN & MECHANICA	L			
BRAKES				
Electric Parking Brake (EPB)	•	•	•	•
ENGINE				
3.4 Litre Twin Turbo V6 Hybrid	•	•	•	•
Sealed Nickel-Metal Hydride (Ni-MH) Traction Battery	•	•	•	•
Active Noise Control	-	-	•	•
SUSPENSION				
ndependent Front Suspension	•	•	•	•
5 Link Rear Suspension	•	•	•	•
TRANSMISSION				
10-speed Direct Shift Automatic Transmission	•	•	•	•
FRUCK BED				
Header rail	•	•	•	•
Side Rail with Four Adjustable Tie Down Cleats	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet	•	•	•	•
MECHANICAL FEATURES				
ow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•
Frailer Backup Guide w/ Straight Path Assist	-	-	•	•
INTERIOR				
FLOORING				
Carpet Floor Mats	•	•	•	•
All Season Floor Mats	•	•	•	•
CLIMATE CONTROL				
Rear Passenger Vents	•	•	•	•
Dual Zone Automatic Climate Control	•	•	•	•

INSTRUMENTATION





$\odot$
TOYOTA

STANDARD SPECIFICATIONS				
Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Oil Pressure Gauge	•	•	•	•
Voltmeter	•	•	•	•
12.3" Digital Gauge Cluster	•	•	•	•
Head-Up Display	-	=	•	•
INTERIOR LIGHTING				
Illuminated Entry	•	•	•	•
Ambient Lighting	=	=	•	•
STEERING WHEEL				
Tilt & Telescopic Steering Wheel	•	•	=	=
Heated Leather Wrapped Steering Wheel	•	•	•	•
Power Tilt & Telescopic Steering Wheel	=	==	•	•
WINDOWS				
Rear Side Window Privacy Glass	•	•	•	•
Electric Rear Window Defroster	•	•	•	•
Front Windshield Acoustic Glass	•	•	•	•
Power Windows with Driver Side Auto Up / Down	•	•	•	•
Power Vertical Sliding Rear Window	•	•	•	•
Front Side Laminated Glass	==	=	=	•
INTERIOR MIRRORS				
Auto-Dimming Rearview Mirror with Garage Door Opener	•	•	=	-
Digital Display Rear View Mirror with Homelink (subject to availability**)	-	***	•	•
SEATS				
Heated Front Seats	•	•	•	•
8-way Power Adjustable Driver and Passenger Seats	•	•	===	_
2-way Power Adjustable Driver and Passenger Lumbar Support	•	•	***	-
SofTex Seats	•	•	=	-
Ventilated Front Seats	•	•	•	•
Driver Seat Memory System	•	•	•	•
Front Massage Seats (Driver & Passenger)	=	=	•	•
Heated Rear Seats	=	=	•	•
Leather Seats	=	=	•	-
4-way Power Adjustable Driver and Passenger Lumbar Support	-	60	•	•
10-way Power Adjustable Driver Seat, 8-way Power Adjustable Passenger Seat	-	==	•	•
Ventilated Rear Seats	-	-	•	•





$\odot$
TOYOTA

Explore (5) Build & Price	Competitive (	Comparison			
STANDARD SPECIFICATIONS					
● Standard — Not Available ↑ Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone	
Semi-Aniline Leather Seats	-	-	-	•	
TRIM					
Leather Wrapped Shift Knob	•	•	•	•	
Backlit "CAPSTONE" passenger-side instrument	-			•	
panel badge		-		•	
EXTERIOR					
EXTERIOR .					
EXTERIOR					
Trailer Ball	•	•	•	•	
Hitch Plug	•	•	•	•	
Ball Mount	•	•	•	•	
Black Mud Guards	•	•	•	•	
Active Grille Shutters	•	•	•	•	
Active Front Spoiler	•	•	•	•	
Power Tailgate & Bump Switch	•	•	•	•	
Panoramic Moonroof	•	•	•	•	
Large Fuel Tank (122L)	•	•	•	•	
Power Running Boards and Bed Step	=	=	•	•	
'Technical Camouflage' exterior accents	<b>^</b>	=	•	•	
TIRES					
Full Size Spare Tire	•	•	•	•	
265/60R20	•	<b>↑</b>	•	-	
P265/50R22	=	-	-	•	
EXTERIOR LIGHTING					
Bi-Beam LED Headlamps	•	•		-	
LED Daytime Running Lights	•	•	•	•	
LED Fog Lamps	•	•	•	•	
Auto Leveling Headlamp System	<u>↑</u>	-	•	•	
Premium Triple-Beam LED Headlamps	<u> </u>	-	•	•	
Sequential LED Tail Lamps	Λ	-	•	•	
WIPERS					
Variable Intermittent Wipers	•	•	-	-	
Windshield Wiper Deicer	•	•	•	•	
Rain Sensing Wipers	-	-	•	•	
WHEELS					
Wheel Lock Set	•	•	•	•	
20" Dark-gray Painted Alloy Wheels	-		•	<u> </u>	
22" Dark Chrome Machine-finished Alloy Wheels	=	=		•	
22 Dark Chrome machine-infished Alloy wheels					



STANDARD SPECIFICATIONS



Competitive Comparison

•

•

•

Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
EXTERIOR MIRRORS				
Power Adjustable Heated Exterior Mirrors	•	•	•	•
Power Folding Mirrors	•	•	•	•
Memory Mirrors	•	•	•	•
Electrochromic Driver's Side View Mirror	•	•	•	•
MECHANICAL FEATURES				
Hill-start Assist Control (HAC)	•	•	•	•

•

•

#### **OPTIONAL FEATURES**

Drive Mode Select (Sport, Eco and Normal

Part-Time 4WD

Modes)

Trailer Brake Controller

OPTIONAL FEATURES				
TRD Front Grille	<b>↑</b>	<b>^</b>	=	=
Locking Rear Differential	<b>↑</b>	<b>^</b>	=	=
TRD Off Road Shock Absorbers	<b>↑</b>	<b>^</b>	=	=
DAC (Downhill Assist Control)	<b>↑</b>	<b>^</b>	-	-
Multi-Terrain Select	<b>↑</b>	<b>^</b>	-	-
Crawl Control (CRAWL)	<b>↑</b>	<b>^</b>	-	-
TRD Heated Steering Wheel	<b>↑</b>	<b>^</b>	-	-
Power Extendable/Folding Towing Mirrors	-	=	$\uparrow$	<b>↑</b>
Black Dual Exhaust w/ TRD logo	<b>↑</b>	=	-	-
Multi-Terrain Monitor	<b>↑</b>	<b>^</b>	-	-
Remove: Active Front Spoiler	<b>↑</b>	<b>^</b>	-	-
20" TRD Off-road Matte Black Alloy Wheels	<b>↑</b>	<b>^</b>	-	-
TRD Pro Front Stabilizer Bar	$\uparrow$	==	-	-
TRD Pro Hood Badge	$\uparrow$	==	-	-
Smoked Headlamps/Foglamps	$\uparrow$	==	-	-
'TOYOTA' passenger-side Dash Panel Badging	$\uparrow$	==	-	-
P285/65R18	$\uparrow$	=	-	=
18" TRD Pro Black Forged BBS® Wheels	<b>↑</b>	=	-	-
'TRD PRO' stamped tailgate	<b>↑</b>	=	-	-
TRD Pro Off-road Suspension with 1.1-in. front lift (2.5-in. FOX* Internal Bypass coil-overs and rear remote-reservoir shocks)	<b>↑</b>	-	-	-
Xply™ Armor High-strength Engine, Fuel Tank and Transfer Case Undercovers	<b>↑</b>	<b>↑</b>	-	-
Remove: Active Grille Shutters	<b>↑</b>	==	-	-
TRD Pro Logo / technical camo pattern inserts on front seats	<b>↑</b>	-	-	-





Competitive Comparison

## тоуота

#### STANDARD SPECIFICATIONS

Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
TRD Pro Heritage 'TOYOTA' Grille w/ LED light bar	<b>↑</b>	-	_	-
Exterior Amber Marker Lights	<b>↑</b>	=	-	=
TRD Skid Plate	<b>↑</b>	=	-	=
20" Machine-finished Alloy Wheels	-	=	<b>↑</b>	=
Drive Mode Select (5 modes)	-	=	<b>↑</b>	=
Adaptive Variable Suspension (AVS)	-	=	<b>↑</b>	=
Load-leveling Rear Height Control Air Suspension	-	-	<b>↑</b>	=





Competitive Comparison



#### IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- \* Payload Capacity is the calculation of GVWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- \*\* Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

#### Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to charge at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apoly. Service may vary by weblice and region. See usage or precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause hurns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle substance in the test of the properties of

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safety. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details